




PIX

Power Transmission Solutions

Driving growth!

PIX-Muscle®-XR3

High-power, Maintenance-free Moulded
Raw Edge Cogged Belts



Follow us @pixtrans

www.pixtrans.com

PIX-Muscle®-XR3

High-power, Maintenance-free Moulded Raw Edge Cogged Belts

PIX-Muscle®-XR3 are the maintenance-free, high-power rated, Moulded Raw Edge Cogged Belts, offering high power rating up to 50% more than the standard Belts. The especially engineered cog design provides extra flexibility and facilitates quicker heat dissipation, prevents the drive temperature to escalate.

The specially blended compound is REACH and RoHS compliant and provides eco-friendly system, it also facilitates smooth operating with a minimal tension-drop.

Construction



1. High strength, maintenance free, premium cords for lower belt elongation
2. Fiber reinforced EPDM base compound offers excellent heat resistance and minimizes abrasion for longer service life
3. Specially Engineered cog design enhanced belt flexibility and accelerated heat dissipation rate

Features

- › Exceptionally high power rating - up to 50% more than standard Belts
- › Special cog design facilitates enhanced flexibility and quicker heat dissipation
- › High transmission efficiency of up to 98%, providing optimum output
- › Maintenance-free property, less machine downtime, and extended service life
- › Complies with ISO 1813 - for anti-static property
- › Space-saving potential
- › REACH and RoHS compliant, provides an eco-friendly system
- › Smooth operation with a minimum tension-drop
- › Compatible with back idlers
- › Temperature range from -35°C to +130°C

Product range

Section	Top Width (mm)	Thickness (mm)	Angle (Degree)	Mfg. Range		Length Designation
				Min.	Max.	
MF3-XPZ	10.0	8.0	36	550mm	5000mm	Lp
MF3-XPA	13.0	10.0	36	550mm	5000mm	Lp
MF3-XPB	16.3	14.0	36	550mm	5000mm	Lp
MF3-XPC	22.0	18.0	38	600mm	5000mm	Lp
MF3-3VX	9.7	8.0	38	21.5"	200"	La
MF3-5VX	15.8	13.5	38	21.5"	200"	La

PIX-Muscle®-HXR3

High-power, Maintenance-free Banded Raw Edge Cogged Belts


Product range

Section	Top Width (mm)	Thickness (mm)	Angle (Degree)	Pitch (mm)	Mfg. Range		Length Desig.
					Min.	Max.	
MF3-HXPZ	10.0	10	36	12.0	600mm	5000mm	Lp
MF3-HXPA	13.0	12	36	15.0	600mm	5000mm	Lp
MF3-HXPB	16.3	16	40	19.0	600mm	5000mm	Lp
MF3-HXPC	22.0	20	36	25.5	600mm	5000mm	Lp
MF3-H3VX	9.7	10	40	10.3	23.5"	200"	La
MF3-H5VX	15.8	16	38	17.5	23.5"	200"	La

Applications



High temperature industrial drives, compressors, blowers, high power presses, hot rolling mills, textile machinery, ID fan, FD fan, excavators, pumps, generators, pulverisers, etc.

Test Results



PIX-Muscle®-XR3

High-power, Maintenance-free Moulded Raw Edge Cogged Belts



Practical example

Earlier:

Motor: 200kW @1500 RPM
Motor pulley diameter: 500mm
Pump pulley diameter: 335mm
C-to-C distance: 1116mm
Belt type: Regular XPC 3550 Lp
No. of Belts: 8



Now:

On the same drive, we have recommended
Belt type: Muscle-XR3® 3550 Lp
No. of Belts: 6

Savings achieved (approx):

Face-width savings: 24%
Weight savings: 15.70%
Drive cost savings: 18.66%

PIX-Muscle®-XR3

Product range



Product Code	Pitch Length
MF3-XPZ 550	550
MF3-XPZ 575	575
MF3-XPZ 580	580
MF3-XPZ 600	600
MF3-XPZ 610	610
MF3-XPZ 630	630
MF3-XPZ 650	650
MF3-XPZ 670	670
MF3-XPZ 680	680
MF3-XPZ 700	700
MF3-XPZ 765	765
MF3-XPZ 770	770
MF3-XPZ 775	775
MF3-XPZ 780	780
MF3-XPZ 785	785
MF3-XPZ 790	790
MF3-XPZ 795	795
MF3-XPZ 800	800
MF3-XPZ 800	800
MF3-XPZ 805	805
MF3-XPZ 815	815
MF3-XPZ 825	825
MF3-XPZ 830	830
MF3-XPZ 835	835
MF3-XPZ 840	840
MF3-XPZ 845	845
MF3-XPZ 850	850
MF3-XPZ 855	855
MF3-XPZ 860	860
MF3-XPZ 865	865
MF3-XPZ 875	875
MF3-XPZ 885	885
MF3-XPZ 890	890
MF3-XPZ 895	895
MF3-XPZ 900	900
MF3-XPZ 900	900
MF3-XPZ 905	905
MF3-XPZ 910	910
MF3-XPZ 915	915
MF3-XPZ 920	920
MF3-XPZ 925	925
MF3-XPZ 925	925
MF3-XPZ 930	930
MF3-XPZ 935	935

Product Code	Pitch Length
MF3-XPZ 940	940
MF3-XPZ 945	945
MF3-XPZ 950	950
MF3-XPZ 955	955
MF3-XPZ 965	965
MF3-XPZ 975	975
MF3-XPZ 985	985
MF3-XPZ 990	990
MF3-XPZ 1000	1000
MF3-XPZ 1010	1010
MF3-XPZ 1015	1015
MF3-XPZ 1020	1020
MF3-XPZ 1025	1025
MF3-XPZ 1030	1030
MF3-XPZ 1035	1035
MF3-XPZ 1040	1040
MF3-XPZ 1045	1045
MF3-XPZ 1050	1050
MF3-XPZ 1055	1055
MF3-XPZ 1060	1060
MF3-XPZ 1065	1065
MF3-XPZ 1070	1070
MF3-XPZ 1075	1075
MF3-XPZ 1080	1080
MF3-XPZ 1085	1085
MF3-XPZ 1090	1090
MF3-XPZ 1100	1100
MF3-XPZ 1110	1110
MF3-XPZ 1115	1115
MF3-XPZ 1120	1120
MF3-XPZ 1125	1125
MF3-XPZ 1130	1130
MF3-XPZ 1135	1135
MF3-XPZ 1140	1140
MF3-XPZ 1145	1145
MF3-XPZ 1150	1150
MF3-XPZ 1160	1160
MF3-XPZ 1180	1180
MF3-XPZ 1185	1185
MF3-XPZ 1200	1200
MF3-XPZ 1205	1205
MF3-XPZ 1210	1210
MF3-XPZ 1215	1215
MF3-XPZ 1220	1220

Product Code	Pitch Length
MF3-XPZ 1225	1225
MF3-XPZ 1235	1235
MF3-XPZ 1240	1240
MF3-XPZ 1250	1250
MF3-XPZ 1255	1255
MF3-XPZ 1260	1260
MF3-XPZ 1265	1265
MF3-XPZ 1270	1270
MF3-XPZ 1275	1275
MF3-XPZ 1280	1280
MF3-XPZ 1285	1285
MF3-XPZ 1290	1290
MF3-XPZ 1295	1295
MF3-XPZ 1300	1300
MF3-XPZ 1310	1310
MF3-XPZ 1315	1315
MF3-XPZ 1320	1320
MF3-XPZ 1330	1330
MF3-XPZ 1335	1335
MF3-XPZ 1340	1340
MF3-XPZ 1345	1345
MF3-XPZ 1350	1350
MF3-XPZ 1350	1350
MF3-XPZ 1355	1355
MF3-XPZ 1360	1360
MF3-XPZ 1365	1365
MF3-XPZ 1370	1370
MF3-XPZ 1375	1375
MF3-XPZ 1380	1380
MF3-XPZ 1390	1390
MF3-XPZ 1400	1400
MF3-XPZ 1900	1900
MF3-XPZ 1935	1935
MF3-XPZ 1950	1950
MF3-XPZ 1960	1960
MF3-XPZ 1965	1965
MF3-XPZ 1985	1985
MF3-XPZ 2000	2000
MF3-XPZ 2020	2020
MF3-XPZ 2025	2025
MF3-XPZ 2030	2030
MF3-XPZ 2035	2035
MF3-XPZ 2050	2050
MF3-XPZ 2055	2055

Product Code	Pitch Length
MF3-XPZ 2060	2060
MF3-XPZ 2065	2065
MF3-XPZ 2085	2085
MF3-XPZ 2120	2120
MF3-XPZ 2135	2135
MF3-XPZ 2150	2150
MF3-XPZ 2160	2160
MF3-XPZ 2180	2180
MF3-XPZ 2185	2185
MF3-XPZ 2200	2200
MF3-XPZ 2210	2210
MF3-XPZ 2240	2240
MF3-XPZ 2260	2260
MF3-XPZ 2280	2280
MF3-XPZ 2280	2280
MF3-XPZ 2285	2285
MF3-XPZ 2300	2300
MF3-XPZ 2350	2350
MF3-XPZ 2360	2360
MF3-XPZ 2400	2400
MF3-XPZ 2410	2410
MF3-XPZ 2430	2430
MF3-XPZ 2460	2460
MF3-XPZ 2500	2500
MF3-XPZ 2540	2540
MF3-XPZ 2550	2550
MF3-XPZ 2650	2650
MF3-XPZ 2690	2690
MF3-XPZ 2700	2700
MF3-XPZ 2715	2715
MF3-XPZ 2800	2800
MF3-XPZ 2840	2840
MF3-XPZ 2930	2930
MF3-XPZ 3000	3000
MF3-XPZ 3150	3150
MF3-XPZ 3170	3170
MF3-XPZ 3350	3350
MF3-XPZ 3370	3370
MF3-XPZ 3550	3550
MF3-XPZ 4900	4900
MF3-XPZ 5000	5000

PIX-Muscle®-XR3

Product range



XPA	
Product Code	Pitch Length
MF3-XPA 550	550
MF3-XPA 565	565
MF3-XPA 590	590
MF3-XPA 600	600
MF3-XPA 625	625
MF3-XPA 700	700
MF3-XPA 760	760
MF3-XPA 800	800
MF3-XPA 805	805
MF3-XPA 820	820
MF3-XPA 825	825
MF3-XPA 830	830
MF3-XPA 840	840
MF3-XPA 850	850
MF3-XPA 860	860
MF3-XPA 865	865
MF3-XPA 870	870
MF3-XPA 875	875
MF3-XPA 880	880
MF3-XPA 895	895
MF3-XPA 900	900
MF3-XPA 905	905
MF3-XPA 910	910
MF3-XPA 920	920
MF3-XPA 925	925
MF3-XPA 930	930
MF3-XPA 935	935
MF3-XPA 945	945
MF3-XPA 950	950
MF3-XPA 955	955
MF3-XPA 965	965
MF3-XPA 970	970
MF3-XPA 975	975
MF3-XPA 980	980
MF3-XPA 985	985
MF3-XPA 1000	1000
MF3-XPA 1005	1005
MF3-XPA 1010	1010
MF3-XPA 1015	1015
MF3-XPA 1020	1020
MF3-XPA 1025	1025
MF3-XPA 1030	1030
MF3-XPA 1035	1035
MF3-XPA 1040	1040
MF3-XPA 1045	1045
MF3-XPA 1050	1050
MF3-XPA 1055	1055
MF3-XPA 1060	1060
MF3-XPA 1070	1070
MF3-XPA 1075	1075
MF3-XPA 1080	1080
MF3-XPA 1085	1085
MF3-XPA 1090	1090
MF3-XPA 1100	1100
MF3-XPA 1105	1105
MF3-XPA 1110	1110
MF3-XPA 1120	1120
MF3-XPA 1125	1125
MF3-XPA 1130	1130
MF3-XPA 1135	1135
MF3-XPA 1140	1140
MF3-XPA 1145	1145
MF3-XPA 1150	1150

XPA	
Product Code	Pitch Length
MF3-XPA 1155	1155
MF3-XPA 1160	1160
MF3-XPA 1165	1165
MF3-XPA 1170	1170
MF3-XPA 1180	1180
MF3-XPA 1185	1185
MF3-XPA 1200	1200
MF3-XPA 1205	1205
MF3-XPA 1215	1215
MF3-XPA 1220	1220
MF3-XPA 1230	1230
MF3-XPA 1235	1235
MF3-XPA 1240	1240
MF3-XPA 1250	1250
MF3-XPA 1255	1255
MF3-XPA 1260	1260
MF3-XPA 1265	1265
MF3-XPA 1270	1270
MF3-XPA 1275	1275
MF3-XPA 1280	1280
MF3-XPA 1285	1285
MF3-XPA 1295	1295
MF3-XPA 1300	1300
MF3-XPA 1305	1305
MF3-XPA 1310	1310
MF3-XPA 1315	1315
MF3-XPA 1320	1320
MF3-XPA 1325	1325
MF3-XPA 1330	1330
MF3-XPA 1335	1335
MF3-XPA 1340	1340
MF3-XPA 1345	1345
MF3-XPA 1350	1350
MF3-XPA 1355	1355
MF3-XPA 1360	1360
MF3-XPA 1365	1365
MF3-XPA 1370	1370
MF3-XPA 1375	1375
MF3-XPA 1380	1380
MF3-XPA 1385	1385
MF3-XPA 1400	1400
MF3-XPA 1405	1405
MF3-XPA 1410	1410
MF3-XPA 1415	1415
MF3-XPA 1420	1420
MF3-XPA 1430	1430
MF3-XPA 1435	1435
MF3-XPA 1440	1440
MF3-XPA 1450	1450
MF3-XPA 1455	1455
MF3-XPA 1460	1460
MF3-XPA 1465	1465
MF3-XPA 1470	1470
MF3-XPA 1475	1475
MF3-XPA 1480	1480
MF3-XPA 1485	1485
MF3-XPA 1490	1490
MF3-XPA 1500	1500
MF3-XPA 1505	1505
MF3-XPA 1510	1510
MF3-XPA 1520	1520
MF3-XPA 1525	1525
MF3-XPA 1530	1530

XPA	
Product Code	Pitch Length
MF3-XPA 1535	1535
MF3-XPA 1550	1550
MF3-XPA 1555	1555
MF3-XPA 1570	1570
MF3-XPA 1575	1575
MF3-XPA 1580	1580
MF3-XPA 1585	1585
MF3-XPA 1590	1590
MF3-XPA 1600	1600
MF3-XPA 1605	1605
MF3-XPA 1610	1610
MF3-XPA 1615	1615
MF3-XPA 1630	1630
MF3-XPA 1635	1635
MF3-XPA 1640	1640
MF3-XPA 1650	1650
MF3-XPA 1655	1655
MF3-XPA 1660	1660
MF3-XPA 1675	1675
MF3-XPA 1680	1680
MF3-XPA 1685	1685
MF3-XPA 1690	1690
MF3-XPA 1700	1700
MF3-XPA 1705	1705
MF3-XPA 1715	1715
MF3-XPA 1730	1730
MF3-XPA 1735	1735
MF3-XPA 1745	1745
MF3-XPA 1750	1750
MF3-XPA 1755	1755
MF3-XPA 1760	1760
MF3-XPA 1775	1775
MF3-XPA 1780	1780
MF3-XPA 1800	1800
MF3-XPA 1810	1810
MF3-XPA 1820	1820
MF3-XPA 1830	1830
MF3-XPA 1835	1835
MF3-XPA 1840	1840
MF3-XPA 1850	1850
MF3-XPA 1855	1855
MF3-XPA 1860	1860
MF3-XPA 1880	1880
MF3-XPA 1900	1900
MF3-XPA 1905	1905
MF3-XPA 1925	1925
MF3-XPA 1930	1930
MF3-XPA 1935	1935
MF3-XPA 1950	1950
MF3-XPA 1950	1950
MF3-XPA 1955	1955
MF3-XPA 1965	1965
MF3-XPA 1980	1980
MF3-XPA 1985	1985
MF3-XPA 2000	2000
MF3-XPA 2030	2030
MF3-XPA 2035	2035
MF3-XPA 2050	2050
MF3-XPA 2055	2055
MF3-XPA 2060	2060
MF3-XPA 2080	2080
MF3-XPA 2085	2085
MF3-XPA 2120	2120

XPA	
Product Code	Pitch Length
MF3-XPA 2135	2135
MF3-XPA 2150	2150
MF3-XPA 2160	2160
MF3-XPA 2180	2180
MF3-XPA 2185	2185
MF3-XPA 2205	2205
MF3-XPA 2215	2215
MF3-XPA 2230	2230
MF3-XPA 2240	2240
MF3-XPA 2260	2260
MF3-XPA 2280	2280
MF3-XPA 2300	2300
MF3-XPA 2305	2305
MF3-XPA 2310	2310
MF3-XPA 2335	2335
MF3-XPA 2360	2360
MF3-XPA 2385	2385
MF3-XPA 2400	2400
MF3-XPA 2410	2410
MF3-XPA 2420	2420
MF3-XPA 2430	2430
MF3-XPA 2435	2435
MF3-XPA 2480	2480
MF3-XPA 2500	2500
MF3-XPA 2530	2530
MF3-XPA 2535	2535
MF3-XPA 2550	2550
MF3-XPA 2580	2580
MF3-XPA 2585	2585
MF3-XPA 2605	2605
MF3-XPA 2630	2630
MF3-XPA 2650	2650
MF3-XPA 2660	2660
MF3-XPA 2680	2680
MF3-XPA 2700	2700
MF3-XPA 2720	2720
MF3-XPA 2730	2730
MF3-XPA 2780	2780
MF3-XPA 2800	2800
MF3-XPA 2830	2830
MF3-XPA 2880	2880
MF3-XPA 2900	2900
MF3-XPA 2930	2930
MF3-XPA 2980	2980
MF3-XPA 3000	3000
MF3-XPA 3150	3150
MF3-XPA 3180	3180
MF3-XPA 3185	3185
MF3-XPA 3250	3250
MF3-XPA 3260	3260
MF3-XPA 3280	3280
MF3-XPA 3350	3350
MF3-XPA 3450	3450
MF3-XPA 3550	3550
MF3-XPA 3750	3750
MF3-XPA 4000	4000
MF3-XPA 4250	4250
MF3-XPA 4500	4500
MF3-XPA 4750	4750
MF3-XPA 5000	5000

PIX-Muscle®-XR3

Product range



XPB	
Product Code	Pitch Length
MF3-XPB 550	550
MF3-XPB 575	575
MF3-XPB 600	600
MF3-XPB 625	625
MF3-XPB 650	650
MF3-XPB 675	675
MF3-XPB 700	700
MF3-XPB 750	750
MF3-XPB 775	775
MF3-XPB 800	800
MF3-XPB 850	850
MF3-XPB 900	900
MF3-XPB 1000	1000
MF3-XPB 1050	1050
MF3-XPB 1150	1150
MF3-XPB 1200	1200
MF3-XPB 1215	1215
MF3-XPB 1230	1230
MF3-XPB 1245	1245
MF3-XPB 1250	1250
MF3-XPB 1260	1260
MF3-XPB 1270	1270
MF3-XPB 1275	1275
MF3-XPB 1280	1280
MF3-XPB 1285	1285
MF3-XPB 1290	1290
MF3-XPB 1300	1300
MF3-XPB 1320	1320
MF3-XPB 1340	1340
MF3-XPB 1350	1350
MF3-XPB 1360	1360
MF3-XPB 1380	1380
MF3-XPB 1400	1400
MF3-XPB 1410	1410
MF3-XPB 1430	1430
MF3-XPB 1445	1445
MF3-XPB 1450	1450
MF3-XPB 1460	1460
MF3-XPB 1470	1470
MF3-XPB 1480	1480
MF3-XPB 1500	1500
MF3-XPB 1505	1505
MF3-XPB 1510	1510
MF3-XPB 1525	1525
MF3-XPB 1530	1530
MF3-XPB 1550	1550
MF3-XPB 1560	1560
MF3-XPB 1590	1590
MF3-XPB 1600	1600
MF3-XPB 1620	1620
MF3-XPB 1625	1625

XPB	
Product Code	Pitch Length
MF3-XPB 1640	1640
MF3-XPB 1650	1650
MF3-XPB 1655	1655
MF3-XPB 1670	1670
MF3-XPB 1685	1685
MF3-XPB 1690	1690
MF3-XPB 1700	1700
MF3-XPB 1720	1720
MF3-XPB 1725	1725
MF3-XPB 1730	1730
MF3-XPB 1740	1740
MF3-XPB 1750	1750
MF3-XPB 1785	1785
MF3-XPB 1795	1795
MF3-XPB 1800	1800
MF3-XPB 1840	1840
MF3-XPB 1850	1850
MF3-XPB 1860	1860
MF3-XPB 1870	1870
MF3-XPB 1875	1875
MF3-XPB 1880	1880
MF3-XPB 1900	1900
MF3-XPB 1915	1915
MF3-XPB 1920	1920
MF3-XPB 1925	1925
MF3-XPB 1930	1930
MF3-XPB 1950	1950
MF3-XPB 1965	1965
MF3-XPB 1970	1970
MF3-XPB 1975	1975
MF3-XPB 1985	1985
MF3-XPB 2000	2000
MF3-XPB 2020	2020
MF3-XPB 2040	2040
MF3-XPB 2045	2045
MF3-XPB 2050	2050
MF3-XPB 2055	2055
MF3-XPB 2060	2060
MF3-XPB 2065	2065
MF3-XPB 2070	2070
MF3-XPB 2075	2075
MF3-XPB 2080	2080
MF3-XPB 2085	2085
MF3-XPB 2090	2090
MF3-XPB 2100	2100
MF3-XPB 2120	2120
MF3-XPB 2125	2125
MF3-XPB 2130	2130
MF3-XPB 2140	2140
MF3-XPB 2150	2150
MF3-XPB 2155	2155

XPB	
Product Code	Pitch Length
MF3-XPB 2160	2160
MF3-XPB 2170	2170
MF3-XPB 2180	2180
MF3-XPB 2185	2185
MF3-XPB 2190	2190
MF3-XPB 2200	2200
MF3-XPB 2225	2225
MF3-XPB 2240	2240
MF3-XPB 2250	2250
MF3-XPB 2260	2260
MF3-XPB 2275	2275
MF3-XPB 2280	2280
MF3-XPB 2285	2285
MF3-XPB 2300	2300
MF3-XPB 2310	2310
MF3-XPB 2325	2325
MF3-XPB 2340	2340
MF3-XPB 2350	2350
MF3-XPB 2355	2355
MF3-XPB 2360	2360
MF3-XPB 2380	2380
MF3-XPB 2385	2385
MF3-XPB 2400	2400
MF3-XPB 2410	2410
MF3-XPB 2420	2420
MF3-XPB 2430	2430
MF3-XPB 2450	2450
MF3-XPB 2490	2490
MF3-XPB 2500	2500
MF3-XPB 2530	2530
MF3-XPB 2540	2540
MF3-XPB 2550	2550
MF3-XPB 2570	2570
MF3-XPB 2580	2580
MF3-XPB 2585	2585
MF3-XPB 2600	2600
MF3-XPB 2610	2610
MF3-XPB 2650	2650
MF3-XPB 2680	2680
MF3-XPB 2685	2685
MF3-XPB 2700	2700
MF3-XPB 2730	2730
MF3-XPB 2735	2735
MF3-XPB 2740	2740
MF3-XPB 2750	2750
MF3-XPB 2760	2760
MF3-XPB 2800	2800
MF3-XPB 2840	2840
MF3-XPB 2850	2850
MF3-XPB 2860	2860
MF3-XPB 2890	2890

XPB	
Product Code	Pitch Length
MF3-XPB 2900	2900
MF3-XPB 2910	2910
MF3-XPB 2920	2920
MF3-XPB 2935	2935
MF3-XPB 2950	2950
MF3-XPB 2980	2980
MF3-XPB 2990	2990
MF3-XPB 3000	3000
MF3-XPB 3040	3040
MF3-XPB 3050	3050
MF3-XPB 3080	3080
MF3-XPB 3100	3100
MF3-XPB 3150	3150
MF3-XPB 3170	3170
MF3-XPB 3175	3175
MF3-XPB 3200	3200
MF3-XPB 3210	3210
MF3-XPB 3250	3250
MF3-XPB 3280	3280
MF3-XPB 3285	3285
MF3-XPB 3300	3300
MF3-XPB 3340	3340
MF3-XPB 3350	3350
MF3-XPB 3400	3400
MF3-XPB 3450	3450
MF3-XPB 3500	3500
MF3-XPB 3550	3550
MF3-XPB 3600	3600
MF3-XPB 3650	3650
MF3-XPB 3700	3700
MF3-XPB 3750	3750
MF3-XPB 3800	3800
MF3-XPB 3870	3870
MF3-XPB 3950	3950
MF3-XPB 4000	4000
MF3-XPB 4060	4060
MF3-XPB 4065	4065
MF3-XPB 4120	4120
MF3-XPB 4250	4250
MF3-XPB 4310	4310
MF3-XPB 4360	4360
MF3-XPB 4370	4370
MF3-XPB 4500	4500
MF3-XPB 4530	4530
MF3-XPB 4560	4560
MF3-XPB 4570	4570
MF3-XPB 4620	4620
MF3-XPB 4750	4750
MF3-XPB 4820	4820
MF3-XPB 4870	4870
MF3-XPB 5000	5000

PIX-Muscle®-XR3

Product range



XPC		XPC		XPC		XPC	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-XPC 600	600	MF3-XPC 2150	2150	MF3-XPC 3000	3000	MF3-XPC 3750	3750
MF3-XPC 750	750	MF3-XPC 2200	2200	MF3-XPC 3050	3050	MF3-XPC 3950	3950
MF3-XPC 800	800	MF3-XPC 2240	2240	MF3-XPC 3080	3080	MF3-XPC 4000	4000
MF3-XPC 850	850	MF3-XPC 2280	2280	MF3-XPC 3100	3100	MF3-XPC 4060	4060
MF3-XPC 900	900	MF3-XPC 2360	2360	MF3-XPC 3150	3150	MF3-XPC 4100	4100
MF3-XPC 950	950	MF3-XPC 2410	2410	MF3-XPC 3170	3170	MF3-XPC 4150	4150
MF3-XPC 1000	1000	MF3-XPC 2500	2500	MF3-XPC 3200	3200	MF3-XPC 4200	4200
MF3-XPC 1400	1400	MF3-XPC 2530	2530	MF3-XPC 3250	3250	MF3-XPC 4250	4250
MF3-XPC 1505	1505	MF3-XPC 2580	2580	MF3-XPC 3280	3280	MF3-XPC 4280	4280
MF3-XPC 1600	1600	MF3-XPC 2600	2600	MF3-XPC 3300	3300	MF3-XPC 4400	4400
MF3-XPC 1700	1700	MF3-XPC 2650	2650	MF3-XPC 3310	3310	MF3-XPC 4420	4420
MF3-XPC 1800	1800	MF3-XPC 2680	2680	MF3-XPC 3340	3340	MF3-XPC 4500	4500
MF3-XPC 1860	1860	MF3-XPC 2700	2700	MF3-XPC 3350	3350	MF3-XPC 4550	4550
MF3-XPC 1900	1900	MF3-XPC 2750	2750	MF3-XPC 3400	3400	MF3-XPC 4700	4700
MF3-XPC 2000	2000	MF3-XPC 2800	2800	MF3-XPC 3500	3500	MF3-XPC 4750	4750
MF3-XPC 2005	2005	MF3-XPC 2840	2840	MF3-XPC 3530	3530	MF3-XPC 4900	4900
MF3-XPC 2010	2010	MF3-XPC 2850	2850	MF3-XPC 3550	3550	MF3-XPC 5000	5000
MF3-XPC 2060	2060	MF3-XPC 2900	2900	MF3-XPC 3600	3600		
MF3-XPC 2120	2120	MF3-XPC 2905	2905	MF3-XPC 3650	3650		
MF3-XPC 2125	2125	MF3-XPC 2990	2990	MF3-XPC 3700	3700		

Pitch length in mm



3VX		3VX		3VX		3VX	
Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length
MF3-3VX 215	21.5	MF3-3VX 415	41.5	MF3-3VX 560	56.0	MF3-3VX 800	80.0
MF3-3VX 225	22.5	MF3-3VX 420	42.0	MF3-3VX 570	57.0	MF3-3VX 810	81.0
MF3-3VX 260	26.0	MF3-3VX 425	42.5	MF3-3VX 575	57.5	MF3-3VX 830	83.0
MF3-3VX 300	30.0	MF3-3VX 430	43.0	MF3-3VX 580	58.0	MF3-3VX 850	85.0
MF3-3VX 310	31.0	MF3-3VX 435	43.5	MF3-3VX 585	58.5	MF3-3VX 860	86.0
MF3-3VX 315	31.5	MF3-3VX 440	44.0	MF3-3VX 590	59.0	MF3-3VX 870	87.0
MF3-3VX 320	32.0	MF3-3VX 445	44.5	MF3-3VX 600	60.0	MF3-3VX 880	88.0
MF3-3VX 325	32.5	MF3-3VX 450	45.0	MF3-3VX 605	60.5	MF3-3VX 900	90.0
MF3-3VX 330	33.0	MF3-3VX 455	45.5	MF3-3VX 610	61.0	MF3-3VX 910	91.0
MF3-3VX 335	33.5	MF3-3VX 460	46.0	MF3-3VX 620	62.0	MF3-3VX 920	92.0
MF3-3VX 340	34.0	MF3-3VX 465	46.5	MF3-3VX 630	63.0	MF3-3VX 950	95.0
MF3-3VX 345	34.5	MF3-3VX 470	47.0	MF3-3VX 650	65.0	MF3-3VX 1000	100.0
MF3-3VX 350	35.0	MF3-3VX 475	47.5	MF3-3VX 670	67.0	MF3-3VX 1010	101.0
MF3-3VX 355	35.5	MF3-3VX 480	48.0	MF3-3VX 680	68.0	MF3-3VX 1060	106.0
MF3-3VX 360	36.0	MF3-3VX 485	48.5	MF3-3VX 690	69.0	MF3-3VX 1120	112.0
MF3-3VX 365	36.5	MF3-3VX 490	49.0	MF3-3VX 700	70.0	MF3-3VX 1180	118.0
MF3-3VX 370	37.0	MF3-3VX 495	49.5	MF3-3VX 705	70.5	MF3-3VX 1180	118.0
MF3-3VX 375	37.5	MF3-3VX 500	50.0	MF3-3VX 710	71.0	MF3-3VX 1250	125.0
MF3-3VX 380	38.0	MF3-3VX 510	51.0	MF3-3VX 720	72.0	MF3-3VX 1260	126.0
MF3-3VX 385	38.5	MF3-3VX 520	52.0	MF3-3VX 730	73.0	MF3-3VX 1320	132.0
MF3-3VX 390	39.0	MF3-3VX 525	52.5	MF3-3VX 750	75.0	MF3-3VX 1400	140.0
MF3-3VX 395	39.5	MF3-3VX 530	53.0	MF3-3VX 760	76.0	MF3-3VX 1420	142.0
MF3-3VX 400	40.0	MF3-3VX 540	54.0	MF3-3VX 770	77.0	MF3-3VX 1500	150.0
MF3-3VX 405	40.5	MF3-3VX 550	55.0	MF3-3VX 780	78.0	MF3-3VX 1600	160.0
MF3-3VX 410	41.0	MF3-3VX 555	55.5	MF3-3VX 790	79.0	MF3-3VX 2000	200.0

Outside length in inches

PIX-Muscle®-XR3

Product range




Product Code	Outside Length
MF3-SVX 215	21.5
MF3-SVX 225	22.5
MF3-SVX 270	27.0
MF3-SVX 300	30.0
MF3-SVX 355	35.5
MF3-SVX 360	36.0
MF3-SVX 370	37.0
MF3-SVX 380	38.0
MF3-SVX 385	38.5
MF3-SVX 390	39.0
MF3-SVX 400	40.0
MF3-SVX 410	41.0
MF3-SVX 420	42.0
MF3-SVX 425	42.5
MF3-SVX 430	43.0
MF3-SVX 440	44.0
MF3-SVX 450	45.0
MF3-SVX 460	46.0
MF3-SVX 470	47.0
MF3-SVX 480	48.0
MF3-SVX 490	49.0
MF3-SVX 500	50.0
MF3-SVX 510	51.0
MF3-SVX 520	52.0
MF3-SVX 530	53.0
MF3-SVX 540	54.0
MF3-SVX 550	55.0
MF3-SVX 560	56.0
MF3-SVX 570	57.0
MF3-SVX 580	58.0
MF3-SVX 590	59.0
MF3-SVX 600	60.0
MF3-SVX 610	61.0
MF3-SVX 620	62.0
MF3-SVX 630	63.0
MF3-SVX 640	64.0
MF3-SVX 645	64.5

Product Code	Outside Length
MF3-SVX 650	65.0
MF3-SVX 655	65.5
MF3-SVX 660	66.0
MF3-SVX 670	67.0
MF3-SVX 680	68.0
MF3-SVX 686	68.6
MF3-SVX 690	69.0
MF3-SVX 694	69.4
MF3-SVX 700	70.0
MF3-SVX 710	71.0
MF3-SVX 720	72.0
MF3-SVX 730	73.0
MF3-SVX 740	74.0
MF3-SVX 750	75.0
MF3-SVX 760	76.0
MF3-SVX 765	76.5
MF3-SVX 770	77.0
MF3-SVX 780	78.0
MF3-SVX 785	78.5
MF3-SVX 790	79.0
MF3-SVX 800	80.0
MF3-SVX 810	81.0
MF3-SVX 815	81.5
MF3-SVX 820	82.0
MF3-SVX 830	83.0
MF3-SVX 835	83.5
MF3-SVX 840	84.0
MF3-SVX 850	85.0
MF3-SVX 855	85.5
MF3-SVX 860	86.0
MF3-SVX 870	87.0
MF3-SVX 880	88.0
MF3-SVX 885	88.5
MF3-SVX 890	89.0
MF3-SVX 895	89.5
MF3-SVX 900	90.0
MF3-SVX 910	91.0

Product Code	Outside Length
MF3-SVX 915	91.5
MF3-SVX 920	92.0
MF3-SVX 925	92.5
MF3-SVX 930	93.0
MF3-SVX 935	93.5
MF3-SVX 940	94.0
MF3-SVX 950	95.0
MF3-SVX 960	96.0
MF3-SVX 965	96.5
MF3-SVX 970	97.0
MF3-SVX 980	98.0
MF3-SVX 985	98.5
MF3-SVX 990	99.0
MF3-SVX 995	99.5
MF3-SVX 1000	100.0
MF3-SVX 1010	101.0
MF3-SVX 1015	101.5
MF3-SVX 1020	102.0
MF3-SVX 1025	102.5
MF3-SVX 1030	103.0
MF3-SVX 1035	103.5
MF3-SVX 1040	104.0
MF3-SVX 1045	104.5
MF3-SVX 1050	105.0
MF3-SVX 1060	106.0
MF3-SVX 1070	107.0
MF3-SVX 1075	107.5
MF3-SVX 1080	108.0
MF3-SVX 1085	108.5
MF3-SVX 1090	109.0
MF3-SVX 1095	109.5
MF3-SVX 1100	110.0
MF3-SVX 1105	110.5
MF3-SVX 1110	111.0
MF3-SVX 1115	111.5
MF3-SVX 1120	112.0
MF3-SVX 1130	113.0

Product Code	Outside Length
MF3-SVX 1145	114.5
MF3-SVX 1150	115.0
MF3-SVX 1160	116.0
MF3-SVX 1165	116.5
MF3-SVX 1180	118.0
MF3-SVX 1200	120.0
MF3-SVX 1220	122.0
MF3-SVX 1230	123.0
MF3-SVX 1240	124.0
MF3-SVX 1250	125.0
MF3-SVX 1300	130.0
MF3-SVX 1320	132.0
MF3-SVX 1330	133.0
MF3-SVX 1350	135.0
MF3-SVX 1355	135.5
MF3-SVX 1360	136.0
MF3-SVX 1375	137.5
MF3-SVX 1390	139.0
MF3-SVX 1395	139.5
MF3-SVX 1400	140.0
MF3-SVX 1435	143.5
MF3-SVX 1445	144.5
MF3-SVX 1450	145.0
MF3-SVX 1455	145.5
MF3-SVX 1500	150.0
MF3-SVX 1506	150.6
MF3-SVX 1525	152.5
MF3-SVX 1575	157.5
MF3-SVX 1600	160.0
MF3-SVX 1650	165.0
MF3-SVX 1665	166.5
MF3-SVX 1695	169.5
MF3-SVX 1700	170.0
MF3-SVX 1725	172.5
MF3-SVX 1750	175.0
MF3-SVX 1800	180.0
MF3-SVX 2000	200.0



Product Code	Pitch Length
MF3-HXPZ 600	600
MF3-HXPZ 635	635
MF3-HXPZ 650	650
MF3-HXPZ 700	700
MF3-HXPZ 745	745
MF3-HXPZ 780	780
MF3-HXPZ 800	800
MF3-HXPZ 900	900
MF3-HXPZ 950	950
MF3-HXPZ 1005	1005
MF3-HXPZ 1012	1012
MF3-HXPZ 1037	1037
MF3-HXPZ 1040	1040
MF3-HXPZ 1065	1065
MF3-HXPZ 1100	1100

Product Code	Pitch Length
MF3-HXPZ 1155	1155
MF3-HXPZ 1200	1200
MF3-HXPZ 1250	1250
MF3-HXPZ 1265	1265
MF3-HXPZ 1355	1355
MF3-HXPZ 1400	1400
MF3-HXPZ 1410	1410
MF3-HXPZ 1500	1500
MF3-HXPZ 1535	1535
MF3-HXPZ 1595	1595
MF3-HXPZ 1630	1630
MF3-HXPZ 1770	1770
MF3-HXPZ 1870	1870
MF3-HXPZ 1940	1940
MF3-HXPZ 2000	2000

Product Code	Pitch Length
MF3-HXPZ 2210	2210
MF3-HXPZ 2390	2390
MF3-HXPZ 2400	2400
MF3-HXPZ 2450	2450
MF3-HXPZ 2505	2505
MF3-HXPZ 2640	2640
MF3-HXPZ 2655	2655
MF3-HXPZ 2700	2700
MF3-HXPZ 2850	2850
MF3-HXPZ 2970	2970
MF3-HXPZ 3000	3000
MF3-HXPZ 3450	3450
MF3-HXPZ 3570	3570
MF3-HXPZ 3610	3610
MF3-HXPZ 3650	3650

Product Code	Pitch Length
MF3-HXPZ 3705	3705
MF3-HXPZ 3890	3890
MF3-HXPZ 3975	3975
MF3-HXPZ 3980	3980
MF3-HXPZ 3995	3995
MF3-HXPZ 4000	4000
MF3-HXPZ 4105	4105
MF3-HXPZ 4235	4235
MF3-HXPZ 4770	4770
MF3-HXPZ 4880	4880
MF3-HXPZ 4945	4945
MF3-HXPZ 5000	5000

PIX-Muscle®-HXR3

Product range

HXPA

Product Code	Pitch Length
MF3-HXPA 600	600
MF3-HXPA 700	700
MF3-HXPA 800	800
MF3-HXPA 1005	1005
MF3-HXPA 1015	1015
MF3-HXPA 1232	1232
MF3-HXPA 1250	1250
MF3-HXPA 1307	1307
MF3-HXPA 1332	1332
MF3-HXPA 1357	1357
MF3-HXPA 1415	1415

HXPA


Product Code	Pitch Length
MF3-HXPA 1650	1650
MF3-HXPA 1700	1700
MF3-HXPA 1750	1750
MF3-HXPA 1882	1882
MF3-HXPA 1900	1900
MF3-HXPA 1932	1932
MF3-HXPA 2032	2032
MF3-HXPA 2120	2120
MF3-HXPA 2182	2182
MF3-HXPA 2260	2260
MF3-HXPA 2282	2282

HXPA

Product Code	Pitch Length
MF3-HXPA 2360	2360
MF3-HXPA 2800	2800
MF3-HXPA 2900	2900
MF3-HXPA 3000	3000
MF3-HXPA 3050	3050
MF3-HXPA 3100	3100
MF3-HXPA 3200	3200
MF3-HXPA 3300	3300
MF3-HXPA 3400	3400
MF3-HXPA 3500	3500
MF3-HXPA 3600	3600

HXPA

Product Code	Pitch Length
MF3-HXPA 3700	3700
MF3-HXPA 3800	3800
MF3-HXPA 3900	3900
MF3-HXPA 4000	4000
MF3-HXPA 4400	4400
MF3-HXPA 4500	4500
MF3-HXPA 4900	4900
MF3-HXPA 5000	5000



HXPB

Product Code	Pitch Length
MF3-HXPB 600	600
MF3-HXPB 700	700
MF3-HXPB 800	800
MF3-HXPB 900	900
MF3-HXPB 1000	1000
MF3-HXPB 1230	1230
MF3-HXPB 1250	1250
MF3-HXPB 1357	1357
MF3-HXPB 1400	1400
MF3-HXPB 1450	1450
MF3-HXPB 1470	1470
MF3-HXPB 1490	1490
MF3-HXPB 1515	1515
MF3-HXPB 1530	1530
MF3-HXPB 1550	1550
MF3-HXPB 1600	1600
MF3-HXPB 1625	1625
MF3-HXPB 1650	1650
MF3-HXPB 1700	1700
MF3-HXPB 1712	1712

HXPB


Product Code	Pitch Length
MF3-HXPB 1730	1730
MF3-HXPB 1782	1782
MF3-HXPB 1785	1785
MF3-HXPB 1800	1800
MF3-HXPB 1875	1875
MF3-HXPB 1900	1900
MF3-HXPB 1925	1925
MF3-HXPB 1930	1930
MF3-HXPB 1950	1950
MF3-HXPB 1970	1970
MF3-HXPB 1975	1975
MF3-HXPB 2000	2000
MF3-HXPB 2041	2041
MF3-HXPB 2050	2050
MF3-HXPB 2060	2060
MF3-HXPB 2065	2065
MF3-HXPB 2078	2078
MF3-HXPB 2080	2080
MF3-HXPB 2100	2100
MF3-HXPB 2105	2105

HXPB

Product Code	Pitch Length
MF3-HXPB 2120	2120
MF3-HXPB 2130	2130
MF3-HXPB 2140	2140
MF3-HXPB 2150	2150
MF3-HXPB 2155	2155
MF3-HXPB 2180	2180
MF3-HXPB 2200	2200
MF3-HXPB 2235	2235
MF3-HXPB 2240	2240
MF3-HXPB 2257	2257
MF3-HXPB 2265	2265
MF3-HXPB 2276	2276
MF3-HXPB 2280	2280
MF3-HXPB 2285	2285
MF3-HXPB 2300	2300
MF3-HXPB 2310	2310
MF3-HXPB 2335	2335
MF3-HXPB 2340	2340
MF3-HXPB 2360	2360
MF3-HXPB 2370	2370

HXPB

Product Code	Pitch Length
MF3-HXPB 2400	2400
MF3-HXPB 2410	2410
MF3-HXPB 2450	2450
MF3-HXPB 2500	2500
MF3-HXPB 2530	2530
MF3-HXPB 2550	2550
MF3-HXPB 2800	2800
MF3-HXPB 2840	2840
MF3-HXPB 3000	3000
MF3-HXPB 3550	3550
MF3-HXPB 3650	3650
MF3-HXPB 3750	3750
MF3-HXPB 4000	4000
MF3-HXPB 4100	4100
MF3-HXPB 4300	4300
MF3-HXPB 4500	4500
MF3-HXPB 5000	5000



HXPC

Product Code	Pitch Length
MF3-HXPC 600	600
MF3-HXPC 650	650
MF3-HXPC 700	700
MF3-HXPC 750	750
MF3-HXPC 800	800
MF3-HXPC 950	950
MF3-HXPC 1000	1000
MF3-HXPC 1400	1400
MF3-HXPC 1505	1505
MF3-HXPC 1600	1600
MF3-HXPC 1700	1700
MF3-HXPC 1800	1800
MF3-HXPC 1860	1860
MF3-HXPC 1900	1900
MF3-HXPC 2000	2000
MF3-HXPC 2005	2005
MF3-HXPC 2010	2010
MF3-HXPC 2060	2060
MF3-HXPC 2120	2120
MF3-HXPC 2125	2125

HXPC

Product Code	Pitch Length
MF3-HXPC 2150	2150
MF3-HXPC 2200	2200
MF3-HXPC 2240	2240
MF3-HXPC 2280	2280
MF3-HXPC 2360	2360
MF3-HXPC 2410	2410
MF3-HXPC 2500	2500
MF3-HXPC 2530	2530
MF3-HXPC 2580	2580
MF3-HXPC 2600	2600
MF3-HXPC 2650	2650
MF3-HXPC 2680	2680
MF3-HXPC 2700	2700
MF3-HXPC 2750	2750
MF3-HXPC 2800	2800
MF3-HXPC 2840	2840
MF3-HXPC 2850	2850
MF3-HXPC 2900	2900
MF3-HXPC 2905	2905
MF3-HXPC 2990	2990

HXPC

Product Code	Pitch Length
MF3-HXPC 3000	3000
MF3-HXPC 3050	3050
MF3-HXPC 3080	3080
MF3-HXPC 3100	3100
MF3-HXPC 3150	3150
MF3-HXPC 3170	3170
MF3-HXPC 3200	3200
MF3-HXPC 3250	3250
MF3-HXPC 3280	3280
MF3-HXPC 3300	3300
MF3-HXPC 3310	3310
MF3-HXPC 3340	3340
MF3-HXPC 3350	3350
MF3-HXPC 3400	3400
MF3-HXPC 3500	3500
MF3-HXPC 3530	3530
MF3-HXPC 3550	3550
MF3-HXPC 3600	3600
MF3-HXPC 3650	3650
MF3-HXPC 3700	3700

HXPC

Product Code	Pitch Length
MF3-HXPC 3750	3750
MF3-HXPC 3950	3950
MF3-HXPC 4000	4000
MF3-HXPC 4060	4060
MF3-HXPC 4100	4100
MF3-HXPC 4150	4150
MF3-HXPC 4200	4200
MF3-HXPC 4250	4250
MF3-HXPC 4280	4280
MF3-HXPC 4400	4400
MF3-HXPC 4420	4420
MF3-HXPC 4500	4500
MF3-HXPC 4550	4550
MF3-HXPC 4700	4700
MF3-HXPC 4750	4750
MF3-HXPC 4900	4900
MF3-HXPC 5000	5000



PIX-Muscle®-HXR3


Product range

H3VX	
Product Code	Outside Length
MF3-H3VX 235	23.5
MF3-H3VX 240	24.0
MF3-H3VX 250	25.0
MF3-H3VX 265	26.5
MF3-H3VX 280	28.0
MF3-H3VX 300	30.0
MF3-H3VX 315	31.5
MF3-H3VX 335	33.5
MF3-H3VX 340	34.0
MF3-H3VX 355	35.5
MF3-H3VX 360	36.0
MF3-H3VX 375	37.5
MF3-H3VX 400	40.0
MF3-H3VX 415	41.5
MF3-H3VX 425	42.5
MF3-H3VX 430	43.0
MF3-H3VX 435	43.5
MF3-H3VX 440	44.0
MF3-H3VX 450	45.0
MF3-H3VX 455	45.5
MF3-H3VX 465	46.5

H3VX	
Product Code	Outside Length
MF3-H3VX 470	47.0
MF3-H3VX 475	47.5
MF3-H3VX 480	48.0
MF3-H3VX 485	48.5
MF3-H3VX 490	49.0
MF3-H3VX 495	49.5
MF3-H3VX 500	50.0
MF3-H3VX 510	51.0
MF3-H3VX 520	52.0
MF3-H3VX 525	52.5
MF3-H3VX 530	53.0
MF3-H3VX 543	54.3
MF3-H3VX 550	55.0
MF3-H3VX 560	56.0
MF3-H3VX 564	56.4
MF3-H3VX 570	57.0
MF3-H3VX 576	57.6
MF3-H3VX 580	58.0
MF3-H3VX 590	59.0
MF3-H3VX 600	60.0
MF3-H3VX 605	60.5

H3VX	
Product Code	Outside Length
MF3-H3VX 610	61.0
MF3-H3VX 620	62.0
MF3-H3VX 630	63.0
MF3-H3VX 650	65.0
MF3-H3VX 670	67.0
MF3-H3VX 707	70.7
MF3-H3VX 710	71.0
MF3-H3VX 725	72.5
MF3-H3VX 750	75.0
MF3-H3VX 770	77.0
MF3-H3VX 800	80.0
MF3-H3VX 850	85.0
MF3-H3VX 880	88.0
MF3-H3VX 900	90.0
MF3-H3VX 910	91.0
MF3-H3VX 920	92.0
MF3-H3VX 930	93.0
MF3-H3VX 950	95.0
MF3-H3VX 970	97.0
MF3-H3VX 1000	100.0
MF3-H3VX 1040	104.0

H3VX	
Product Code	Outside Length
MF3-H3VX 1060	106.0
MF3-H3VX 1110	111.0
MF3-H3VX 1120	112.0
MF3-H3VX 1130	113.0
MF3-H3VX 1140	114.0
MF3-H3VX 1150	115.0
MF3-H3VX 1167	116.7
MF3-H3VX 1180	118.0
MF3-H3VX 1190	119.0
MF3-H3VX 1250	125.0
MF3-H3VX 1260	126.0
MF3-H3VX 1270	127.0
MF3-H3VX 1280	128.0
MF3-H3VX 1320	132.0
MF3-H3VX 1400	140.0
MF3-H3VX 1420	142.0
MF3-H3VX 1500	150.0
MF3-H3VX 1700	170.0
MF3-H3VX 1778	177.8
MF3-H3VX 2000	200.0



H5VX	
Product Code	Outside Length
MF3-H5VX 235	23.5
MF3-H5VX 350	35.0
MF3-H5VX 450	45.0
MF3-H5VX 470	47.0
MF3-H5VX 490	49.0
MF3-H5VX 500	50.0
MF3-H5VX 510	51.0
MF3-H5VX 530	53.0
MF3-H5VX 540	54.0
MF3-H5VX 550	55.0
MF3-H5VX 560	56.0
MF3-H5VX 580	58.0
MF3-H5VX 590	59.0
MF3-H5VX 600	60.0
MF3-H5VX 610	61.0
MF3-H5VX 630	63.0
MF3-H5VX 650	65.0
MF3-H5VX 660	66.0
MF3-H5VX 670	67.0
MF3-H5VX 680	68.0

H5VX	
Product Code	Outside Length
MF3-H5VX 700	70.0
MF3-H5VX 710	71.0
MF3-H5VX 730	73.0
MF3-H5VX 740	74.0
MF3-H5VX 750	75.0
MF3-H5VX 768	76.8
MF3-H5VX 780	78.0
MF3-H5VX 800	80.0
MF3-H5VX 810	81.0
MF3-H5VX 815	81.5
MF3-H5VX 820	82.0
MF3-H5VX 830	83.0
MF3-H5VX 835	83.5
MF3-H5VX 840	84.0
MF3-H5VX 850	85.0
MF3-H5VX 860	86.0
MF3-H5VX 870	87.0
MF3-H5VX 880	88.0
MF3-H5VX 900	90.0
MF3-H5VX 920	92.0

H5VX	
Product Code	Outside Length
MF3-H5VX 930	93.0
MF3-H5VX 950	95.0
MF3-H5VX 960	96.0
MF3-H5VX 1000	100.0
MF3-H5VX 1030	103.0
MF3-H5VX 1040	104.0
MF3-H5VX 1060	106.0
MF3-H5VX 1070	107.0
MF3-H5VX 1075	107.5
MF3-H5VX 1080	108.0
MF3-H5VX 1085	108.5
MF3-H5VX 1090	109.0
MF3-H5VX 1120	112.0
MF3-H5VX 1150	115.0
MF3-H5VX 1160	116.0
MF3-H5VX 1180	118.0
MF3-H5VX 1200	120.0
MF3-H5VX 1230	123.0
MF3-H5VX 1240	124.0
MF3-H5VX 1250	125.0

H5VX	
Product Code	Outside Length
MF3-H5VX 1320	132.0
MF3-H5VX 1400	140.0
MF3-H5VX 1500	150.0
MF3-H5VX 1600	160.0
MF3-H5VX 1650	165.0
MF3-H5VX 1700	170.0
MF3-H5VX 1725	172.5
MF3-H5VX 1750	175.0
MF3-H5VX 1760	176.0
MF3-H5VX 1770	177.0
MF3-H5VX 1800	180.0
MF3-H5VX 1800	180.0
MF3-H5VX 1825	182.5
MF3-H5VX 1850	185.0
MF3-H5VX 1900	190.0
MF3-H5VX 1925	192.5
MF3-H5VX 1950	195.0
MF3-H5VX 1975	197.5
MF3-H5VX 2000	200.0



**5+**DECADES OF EXPERTISE
& EXPERIENCE**80K+**EXTENSIVE
PRODUCT RANGE**6**GLOBAL
LOCATIONS**100+**COUNTRIES
GLOBAL FOOTPRINTISO
9001:2015IATF
16949:2016ISO
14001:2015ISO
45001:2018

Corporate Office



PIX Transmissions Ltd.

B-1208, 12th Floor, One BKC,
Bandra-Kurla, Complex Bandra (East),
Mumbai - 400051
Maharashtra, India☎ +91-(0)-22-61383000
✉ info@pixtrans.com
🌐 www.pixtrans.com

Registered Office



PIX Transmissions Ltd.

J-7, M.I.D.C. Hingna Road,
Nagpur - 440016
Maharashtra, India☎ +91-(0)-7104 669 000
✉ info@pixtrans.com
🌐 www.pixtrans.com

Overseas Offices



PIX Germany GmbH

Karl-Schurz-Str. 35
33100 Paderborn, Germany☎ +49 (0) 5251-2844 070
☎ +49 (0) 5251-2844 099
✉ info@pixgermany.com
🌐 www.pixgermany.de

PIX Transmissions (Europe) Ltd.

12, Sterling Complex, Farthing
Road, Ipswich, Suffolk IP1 5AP
United Kingdom☎ +44 (0) 1473-743 511
☎ +44 (0) 1473-742 227
✉ info@pixtranseu.com
🌐 www.pixtranseu.com

PIX Middle East Trading LLC

Warehouse No-7 & 9, Near RAK BANK,
Industrial Area-2. P.O. Box 238085,
Near UAE Exchange,
Al Qusais Ind-2, Dubai, U.A.E.☎ +971-4-2345 100
☎ +971-4-2345 101
✉ info@pixme.ae
🌐 www.pixme.ae

PIX Middle East Trading LLC

Souq Al Ghazal Building,
Near Bin Thani Plaza, Deira,
P.O. Box 238085, Dubai, UAE☎ +971-438-52128
✉ info@pixme.ae
🌐 www.pixme.ae