



PIX

Power Transmission Solutions

Driving growth!

PIX-Muscle[®]-XS3

High-power, Maintenance-free Wrap Belts



Follow us @pixtrans

www.pixtrans.com

PIX-Muscle®-XS3

High-power, Maintenance-free Wrap Belts

PIX-Muscle-XS3® are High-power rated, maintenance-free, eco-friendly Belts. They are manufactured to comply with the latest REACH directives and RoHS regulations.

The revolutionary design of the Belt compound does not emit any toxic substances, either during manufacture or when running, also performs well in the adverse conditions such as elevated temperature zones, UV or ozone exposure and chemically aggressive environments.

Construction



1. High wear-resistant outer jacketing, offers higher gripping strength
2. Maintenance-free, low-stretch, premium polyester cords prevent elongation in the Belt
3. Fibre-filled base compound for increased transverse rigidity

Features

- › Extremely high power rating - up to 50% more than standard Belts
- › High efficiency of up to 98%
- › Special cords for maintenance-free operation
- › Extended service life and less machine downtime
- › Anti-static, complies with ISO 1813
- › Superior oil and heat resistance
- › Compatible with back idlers
- › REACH and RoHS compliant, provides an eco-friendly system
- › Extended temperature range from -25°C to +100°C

Product range

Section	Top Width (mm)	Thickness (mm)	Angle (Degree)	Min. Pulley Dia (mm)	Manufacturing Range		Length Designation
					Min.	Max.	
MF3-SPZ	10.0	8.0	40	63	494mm	4025mm	Lp
MF3-SPA	13.0	10.0	40	90	576mm	9087mm	Lp
MF3-SPB	17.0	14.0	40	140	1000mm	23606mm	Lp
MF3-SPC	22.0	18.0	40	224	1836mm	23629mm	Lp
MF3-3V	9.7	8.0	40	63	19.5"	159"	La
MF3-5V	15.8	13.5	40	140	47"	930"	La
MF3-8V	25.4	23.0	40	335	100"	933"	La

PIX-Muscle®-HXS3

High-power, Maintenance-free Banded Wrap Belts

Product range

Section	Top Width (mm)	Thickness (mm)	Angle (Degree)	Pitch (mm)	Min. Pulley Dia (mm)	Manufacturing Range		Length Designation
						Min.	Max.	
MF3-HSPZ	10.0	10.0	40	12.0	63	1310mm	6539mm	Lp
MF3-HSPA	13.0	12.0	40	15.0	90	1315mm	4363mm	Lp
MF3-HSPB	17.0	16.0	40	19.0	140	1762mm	10068mm	Lp
MF3-HSPC	22.0	21.5	40	25.5	224	1632mm	23629mm	Lp
MF3-H3V	9.7	10.5	40	10.3	63	51.5"	172"	La
MF3-H5V	15.8	15.5	40	17.5	140	52.5"	930"	La
MF3-H8V	25.4	25.0	40	28.6	335	100"	931.5"	La


Applications

Hot rolling mills, power plants, heat exchanger, compressors, vacuum pumps, grinders, kilns, blenders, paper and pulp industry, etc.

Free Set Length Tolerance Table

Length Range (mm)	Free Set Tolerance (mm)
≤ 900	2.0
>900 ≤ 5000	4.0
> 5000 ≤ 8000	8.0
>8000 ≤10000	12.0
>10000 ≤ 12500	16.0


Test Results



PIX-Muscle®-XS3

High-power, Maintenance-free Wrap Belts

Test Results



Cost savings

Application:

Blower runs 12 hours / day
 Power: 250kW
 Motor: 1440 RPM
 Driver pulley pitch diameter: 315mm
 Driven pulley pitch diameter: 1250mm
 C-to-C distance: 1388mm

Design output:

Regular SPC 5390, total 10 Belts are required
 Now, PIX-Muscle®-XS3: SPC 5390, only 7 Belts are required

Cost benefit analysis:

Space savings: 26% approx.
 Weight savings: 11% approx.
 Drive cost savings: Up to 14% approx.

Conclusion:

Less no. of Belts + Lower width pulleys + space savings = Higher profit

Product range

SPZ		SPZ		SPZ		SPZ	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-SPZ 479	479	MF3-SPZ 695	695	MF3-SPZ 795	795	MF3-SPZ 900	900
MF3-SPZ 480	480	MF3-SPZ 700	700	MF3-SPZ 800	800	MF3-SPZ 910	910
MF3-SPZ 495	495	MF3-SPZ 710	710	MF3-SPZ 810	810	MF3-SPZ 915	915
MF3-SPZ 515	515	MF3-SPZ 715	715	MF3-SPZ 820	820	MF3-SPZ 920	920
MF3-SPZ 520	520	MF3-SPZ 720	720	MF3-SPZ 825	825	MF3-SPZ 925	925
MF3-SPZ 528	528	MF3-SPZ 725	725	MF3-SPZ 830	830	MF3-SPZ 930	930
MF3-SPZ 530	530	MF3-SPZ 735	735	MF3-SPZ 835	835	MF3-SPZ 935	935
MF3-SPZ 532	532	MF3-SPZ 740	740	MF3-SPZ 840	840	MF3-SPZ 940	940
MF3-SPZ 535	535	MF3-SPZ 742	742	MF3-SPZ 845	845	MF3-SPZ 945	945
MF3-SPZ 580	580	MF3-SPZ 750	750	MF3-SPZ 850	850	MF3-SPZ 950	950
MF3-SPZ 590	590	MF3-SPZ 755	755	MF3-SPZ 855	855	MF3-SPZ 955	955
MF3-SPZ 600	600	MF3-SPZ 760	760	MF3-SPZ 860	860	MF3-SPZ 960	960
MF3-SPZ 612	612	MF3-SPZ 770	770	MF3-SPZ 865	865	MF3-SPZ 965	965
MF3-SPZ 615	615	MF3-SPZ 774	774	MF3-SPZ 870	870	MF3-SPZ 970	970
MF3-SPZ 620	620	MF3-SPZ 775	775	MF3-SPZ 875	875	MF3-SPZ 975	975
MF3-SPZ 628	628	MF3-SPZ 780	780	MF3-SPZ 880	880	MF3-SPZ 980	980
MF3-SPZ 650	650	MF3-SPZ 785	785	MF3-SPZ 885	885	MF3-SPZ 990	990
MF3-SPZ 690	690	MF3-SPZ 790	790	MF3-SPZ 890	890	MF3-SPZ 995	995



Product range



SPZ		SPZ		SPZ		SPZ	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-SPZ 1000	1000	MF3-SPZ 1280	1280	MF3-SPZ 1660	1660	MF3-SPZ 2147	2147
MF3-SPZ 1010	1010	MF3-SPZ 1285	1285	MF3-SPZ 1670	1670	MF3-SPZ 2150	2150
MF3-SPZ 1015	1015	MF3-SPZ 1290	1290	MF3-SPZ 1675	1675	MF3-SPZ 2160	2160
MF3-SPZ 1020	1020	MF3-SPZ 1300	1300	MF3-SPZ 1680	1680	MF3-SPZ 2170	2170
MF3-SPZ 1025	1025	MF3-SPZ 1315	1315	MF3-SPZ 1700	1700	MF3-SPZ 2175	2175
MF3-SPZ 1030	1030	MF3-SPZ 1320	1320	MF3-SPZ 1705	1705	MF3-SPZ 2200	2200
MF3-SPZ 1035	1035	MF3-SPZ 1325	1325	MF3-SPZ 1706	1706	MF3-SPZ 2220	2220
MF3-SPZ 1040	1040	MF3-SPZ 1330	1330	MF3-SPZ 1710	1710	MF3-SPZ 2230	2230
MF3-SPZ 1045	1045	MF3-SPZ 1335	1335	MF3-SPZ 1720	1720	MF3-SPZ 2240	2240
MF3-SPZ 1050	1050	MF3-SPZ 1340	1340	MF3-SPZ 1725	1725	MF3-SPZ 2250	2250
MF3-SPZ 1052	1052	MF3-SPZ 1345	1345	MF3-SPZ 1730	1730	MF3-SPZ 2260	2260
MF3-SPZ 1055	1055	MF3-SPZ 1360	1360	MF3-SPZ 1745	1745	MF3-SPZ 2270	2270
MF3-SPZ 1070	1070	MF3-SPZ 1365	1365	MF3-SPZ 1750	1750	MF3-SPZ 2300	2300
MF3-SPZ 1075	1075	MF3-SPZ 1370	1370	MF3-SPZ 1775	1775	MF3-SPZ 2306	2306
MF3-SPZ 1080	1080	MF3-SPZ 1375	1375	MF3-SPZ 1780	1780	MF3-SPZ 2310	2310
MF3-SPZ 1090	1090	MF3-SPZ 1380	1380	MF3-SPZ 1800	1800	MF3-SPZ 2320	2320
MF3-SPZ 1095	1095	MF3-SPZ 1400	1400	MF3-SPZ 1820	1820	MF3-SPZ 2325	2325
MF3-SPZ 1100	1100	MF3-SPZ 1410	1410	MF3-SPZ 1825	1825	MF3-SPZ 2330	2330
MF3-SPZ 1105	1105	MF3-SPZ 1425	1425	MF3-SPZ 1830	1830	MF3-SPZ 2340	2340
MF3-SPZ 1110	1110	MF3-SPZ 1430	1430	MF3-SPZ 1845	1845	MF3-SPZ 2345	2345
MF3-SPZ 1120	1120	MF3-SPZ 1440	1440	MF3-SPZ 1850	1850	MF3-SPZ 2350	2350
MF3-SPZ 1125	1125	MF3-SPZ 1450	1450	MF3-SPZ 1870	1870	MF3-SPZ 2360	2360
MF3-SPZ 1130	1130	MF3-SPZ 1460	1460	MF3-SPZ 1875	1875	MF3-SPZ 2400	2400
MF3-SPZ 1135	1135	MF3-SPZ 1470	1470	MF3-SPZ 1880	1880	MF3-SPZ 2410	2410
MF3-SPZ 1140	1140	MF3-SPZ 1475	1475	MF3-SPZ 1890	1890	MF3-SPZ 2420	2420
MF3-SPZ 1145	1145	MF3-SPZ 1480	1480	MF3-SPZ 1900	1900	MF3-SPZ 2430	2430
MF3-SPZ 1155	1155	MF3-SPZ 1485	1485	MF3-SPZ 1920	1920	MF3-SPZ 2440	2440
MF3-SPZ 1160	1160	MF3-SPZ 1500	1500	MF3-SPZ 1925	1925	MF3-SPZ 2485	2485
MF3-SPZ 1165	1165	MF3-SPZ 1520	1520	MF3-SPZ 1930	1930	MF3-SPZ 2500	2500
MF3-SPZ 1170	1170	MF3-SPZ 1525	1525	MF3-SPZ 1975	1975	MF3-SPZ 2530	2530
MF3-SPZ 1175	1175	MF3-SPZ 1535	1535	MF3-SPZ 1980	1980	MF3-SPZ 2540	2540
MF3-SPZ 1180	1180	MF3-SPZ 1540	1540	MF3-SPZ 2000	2000	MF3-SPZ 2550	2550
MF3-SPZ 1185	1185	MF3-SPZ 1545	1545	MF3-SPZ 2010	2010	MF3-SPZ 2600	2600
MF3-SPZ 1200	1200	MF3-SPZ 1550	1550	MF3-SPZ 2020	2020	MF3-SPZ 2650	2650
MF3-SPZ 1210	1210	MF3-SPZ 1560	1560	MF3-SPZ 2025	2025	MF3-SPZ 2680	2680
MF3-SPZ 1215	1215	MF3-SPZ 1570	1570	MF3-SPZ 2030	2030	MF3-SPZ 2690	2690
MF3-SPZ 1220	1220	MF3-SPZ 1575	1575	MF3-SPZ 2040	2040	MF3-SPZ 2700	2700
MF3-SPZ 1225	1225	MF3-SPZ 1580	1580	MF3-SPZ 2050	2050	MF3-SPZ 2720	2720
MF3-SPZ 1230	1230	MF3-SPZ 1590	1590	MF3-SPZ 2075	2075	MF3-SPZ 2760	2760
MF3-SPZ 1235	1235	MF3-SPZ 1600	1600	MF3-SPZ 2080	2080	MF3-SPZ 2800	2800
MF3-SPZ 1240	1240	MF3-SPZ 1610	1610	MF3-SPZ 2090	2090	MF3-SPZ 2840	2840
MF3-SPZ 1250	1250	MF3-SPZ 1620	1620	MF3-SPZ 2100	2100	MF3-SPZ 3700	3700
MF3-SPZ 1260	1260	MF3-SPZ 1630	1630	MF3-SPZ 2120	2120	MF3-SPZ 3960	3960
MF3-SPZ 1263	1263	MF3-SPZ 1635	1635	MF3-SPZ 2125	2125	MF3-SPZ 4000	4000
MF3-SPZ 1270	1270	MF3-SPZ 1650	1650	MF3-SPZ 2130	2130	MF3-SPZ 4025	4025

Product range



SPA		SPA		SPA		SPA	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-SPA 576	576	MF3-SPA 1820	1820	MF3-SPA 2310	2310	MF3-SPA 3000	3000
MF3-SPA 800	800	MF3-SPA 1830	1830	MF3-SPA 2320	2320	MF3-SPA 3050	3050
MF3-SPA 1000	1000	MF3-SPA 1840	1840	MF3-SPA 2325	2325	MF3-SPA 3070	3070
MF3-SPA 1375	1375	MF3-SPA 1845	1845	MF3-SPA 2330	2330	MF3-SPA 3100	3100
MF3-SPA 1380	1380	MF3-SPA 1850	1850	MF3-SPA 2340	2340	MF3-SPA 3120	3120
MF3-SPA 1390	1390	MF3-SPA 1860	1860	MF3-SPA 2350	2350	MF3-SPA 3130	3130
MF3-SPA 1400	1400	MF3-SPA 1870	1870	MF3-SPA 2360	2360	MF3-SPA 3150	3150
MF3-SPA 1420	1420	MF3-SPA 1875	1875	MF3-SPA 2370	2370	MF3-SPA 3170	3170
MF3-SPA 1430	1430	MF3-SPA 1880	1880	MF3-SPA 2380	2380	MF3-SPA 3175	3175
MF3-SPA 1432	1432	MF3-SPA 1900	1900	MF3-SPA 2400	2400	MF3-SPA 3185	3185
MF3-SPA 1440	1440	MF3-SPA 1920	1920	MF3-SPA 2410	2410	MF3-SPA 3195	3195
MF3-SPA 1450	1450	MF3-SPA 1925	1925	MF3-SPA 2420	2420	MF3-SPA 3200	3200
MF3-SPA 1452	1452	MF3-SPA 1930	1930	MF3-SPA 2425	2425	MF3-SPA 3220	3220
MF3-SPA 1460	1460	MF3-SPA 1940	1940	MF3-SPA 2430	2430	MF3-SPA 3240	3240
MF3-SPA 1475	1475	MF3-SPA 1950	1950	MF3-SPA 2445	2445	MF3-SPA 3250	3250
MF3-SPA 1480	1480	MF3-SPA 1970	1970	MF3-SPA 2450	2450	MF3-SPA 3260	3260
MF3-SPA 1500	1500	MF3-SPA 1975	1975	MF3-SPA 2460	2460	MF3-SPA 3280	3280
MF3-SPA 1510	1510	MF3-SPA 1980	1980	MF3-SPA 2470	2470	MF3-SPA 3300	3300
MF3-SPA 1520	1520	MF3-SPA 1985	1985	MF3-SPA 2480	2480	MF3-SPA 3330	3330
MF3-SPA 1525	1525	MF3-SPA 1990	1990	MF3-SPA 2485	2485	MF3-SPA 3350	3350
MF3-SPA 1530	1530	MF3-SPA 2000	2000	MF3-SPA 2500	2500	MF3-SPA 3360	3360
MF3-SPA 1535	1535	MF3-SPA 2010	2010	MF3-SPA 2520	2520	MF3-SPA 3400	3400
MF3-SPA 1545	1545	MF3-SPA 2020	2020	MF3-SPA 2550	2550	MF3-SPA 3450	3450
MF3-SPA 1550	1550	MF3-SPA 2050	2050	MF3-SPA 2560	2560	MF3-SPA 3500	3500
MF3-SPA 1560	1560	MF3-SPA 2060	2060	MF3-SPA 2580	2580	MF3-SPA 3540	3540
MF3-SPA 1570	1570	MF3-SPA 2065	2065	MF3-SPA 2600	2600	MF3-SPA 3550	3550
MF3-SPA 1575	1575	MF3-SPA 2080	2080	MF3-SPA 2620	2620	MF3-SPA 3625	3625
MF3-SPA 1580	1580	MF3-SPA 2100	2100	MF3-SPA 2625	2625	MF3-SPA 3650	3650
MF3-SPA 1600	1600	MF3-SPA 2110	2110	MF3-SPA 2650	2650	MF3-SPA 3670	3670
MF3-SPA 1620	1620	MF3-SPA 2120	2120	MF3-SPA 2660	2660	MF3-SPA 3700	3700
MF3-SPA 1625	1625	MF3-SPA 2125	2125	MF3-SPA 2680	2680	MF3-SPA 3750	3750
MF3-SPA 1630	1630	MF3-SPA 2130	2130	MF3-SPA 2710	2710	MF3-SPA 3760	3760
MF3-SPA 1645	1645	MF3-SPA 2140	2140	MF3-SPA 2720	2720	MF3-SPA 3800	3800
MF3-SPA 1650	1650	MF3-SPA 2150	2150	MF3-SPA 2725	2725	MF3-SPA 3850	3850
MF3-SPA 1660	1660	MF3-SPA 2160	2160	MF3-SPA 2750	2750	MF3-SPA 3900	3900
MF3-SPA 1670	1670	MF3-SPA 2170	2170	MF3-SPA 2770	2770	MF3-SPA 4000	4000
MF3-SPA 1675	1675	MF3-SPA 2180	2180	MF3-SPA 2775	2775	MF3-SPA 4040	4040
MF3-SPA 1690	1690	MF3-SPA 2190	2190	MF3-SPA 2780	2780	MF3-SPA 4050	4050
MF3-SPA 1700	1700	MF3-SPA 2200	2200	MF3-SPA 2790	2790	MF3-SPA 4060	4060
MF3-SPA 1710	1710	MF3-SPA 2210	2210	MF3-SPA 2800	2800	MF3-SPA 4230	4230
MF3-SPA 1720	1720	MF3-SPA 2220	2220	MF3-SPA 2820	2820	MF3-SPA 4250	4250
MF3-SPA 1725	1725	MF3-SPA 2240	2240	MF3-SPA 2840	2840	MF3-SPA 4260	4260
MF3-SPA 1730	1730	MF3-SPA 2250	2250	MF3-SPA 2850	2850	MF3-SPA 4350	4350
MF3-SPA 1745	1745	MF3-SPA 2255	2255	MF3-SPA 2870	2870	MF3-SPA 6000	6000
MF3-SPA 1750	1750	MF3-SPA 2270	2270	MF3-SPA 2890	2890	MF3-SPA 6800	6800
MF3-SPA 1760	1760	MF3-SPA 2280	2280	MF3-SPA 2900	2900	MF3-SPA 9087	9087
MF3-SPA 1780	1780	MF3-SPA 2290	2290	MF3-SPA 2920	2920		
MF3-SPA 1800	1800	MF3-SPA 2300	2300	MF3-SPA 2950	2950		

Product range



SPB	
Product Code	Pitch Length
MF3-SPB 1000	1000
MF3-SPB 1010	1010
MF3-SPB 1050	1050
MF3-SPB 1090	1090
MF3-SPB 1100	1100
MF3-SPB 1110	1110
MF3-SPB 1120	1120
MF3-SPB 1160	1160
MF3-SPB 1180	1180
MF3-SPB 1200	1200
MF3-SPB 1230	1230
MF3-SPB 1240	1240
MF3-SPB 1300	1300
MF3-SPB 1310	1310
MF3-SPB 1330	1330
MF3-SPB 1340	1340
MF3-SPB 1350	1350
MF3-SPB 1360	1360
MF3-SPB 1370	1370
MF3-SPB 1400	1400
MF3-SPB 1425	1425
MF3-SPB 1480	1480
MF3-SPB 1500	1500
MF3-SPB 1510	1510
MF3-SPB 1520	1520
MF3-SPB 1525	1525
MF3-SPB 1530	1530
MF3-SPB 1540	1540
MF3-SPB 1550	1550
MF3-SPB 1640	1640
MF3-SPB 1650	1650
MF3-SPB 1660	1660
MF3-SPB 1670	1670
MF3-SPB 1675	1675
MF3-SPB 1680	1680
MF3-SPB 1685	1685
MF3-SPB 1700	1700
MF3-SPB 1720	1720
MF3-SPB 1725	1725
MF3-SPB 1740	1740
MF3-SPB 1760	1760
MF3-SPB 1940	1940
MF3-SPB 1975	1975
MF3-SPB 2000	2000
MF3-SPB 2060	2060
MF3-SPB 2065	2065
MF3-SPB 2070	2070
MF3-SPB 2080	2080
MF3-SPB 2100	2100
MF3-SPB 2120	2120
MF3-SPB 2125	2125
MF3-SPB 2130	2130
MF3-SPB 2150	2150
MF3-SPB 2160	2160

SPB	
Product Code	Pitch Length
MF3-SPB 2170	2170
MF3-SPB 2200	2200
MF3-SPB 2210	2210
MF3-SPB 2250	2250
MF3-SPB 2260	2260
MF3-SPB 2300	2300
MF3-SPB 2310	2310
MF3-SPB 2320	2320
MF3-SPB 2325	2325
MF3-SPB 2330	2330
MF3-SPB 2380	2380
MF3-SPB 2400	2400
MF3-SPB 2410	2410
MF3-SPB 2420	2420
MF3-SPB 2425	2425
MF3-SPB 2430	2430
MF3-SPB 2450	2450
MF3-SPB 2460	2460
MF3-SPB 2480	2480
MF3-SPB 2500	2500
MF3-SPB 2520	2520
MF3-SPB 2525	2525
MF3-SPB 2530	2530
MF3-SPB 2550	2550
MF3-SPB 2595	2595
MF3-SPB 2600	2600
MF3-SPB 2615	2615
MF3-SPB 2625	2625
MF3-SPB 2640	2640
MF3-SPB 2650	2650
MF3-SPB 2665	2665
MF3-SPB 2670	2670
MF3-SPB 2675	2675
MF3-SPB 2680	2680
MF3-SPB 2690	2690
MF3-SPB 2700	2700
MF3-SPB 2720	2720
MF3-SPB 2740	2740
MF3-SPB 2745	2745
MF3-SPB 2790	2790
MF3-SPB 2800	2800
MF3-SPB 2850	2850
MF3-SPB 2880	2880
MF3-SPB 2900	2900
MF3-SPB 2910	2910
MF3-SPB 2955	2955
MF3-SPB 2960	2960
MF3-SPB 2995	2995
MF3-SPB 3000	3000
MF3-SPB 3050	3050
MF3-SPB 3070	3070
MF3-SPB 3080	3080
MF3-SPB 3125	3125
MF3-SPB 3140	3140

SPB	
Product Code	Pitch Length
MF3-SPB 3180	3180
MF3-SPB 3200	3200
MF3-SPB 3240	3240
MF3-SPB 3250	3250
MF3-SPB 3260	3260
MF3-SPB 3270	3270
MF3-SPB 3300	3300
MF3-SPB 3320	3320
MF3-SPB 3340	3340
MF3-SPB 3350	3350
MF3-SPB 3360	3360
MF3-SPB 3390	3390
MF3-SPB 3400	3400
MF3-SPB 3420	3420
MF3-SPB 3550	3550
MF3-SPB 3560	3560
MF3-SPB 3570	3570
MF3-SPB 3575	3575
MF3-SPB 3580	3580
MF3-SPB 3600	3600
MF3-SPB 3620	3620
MF3-SPB 3625	3625
MF3-SPB 3650	3650
MF3-SPB 3670	3670
MF3-SPB 3675	3675
MF3-SPB 3680	3680
MF3-SPB 3700	3700
MF3-SPB 3720	3720
MF3-SPB 3725	3725
MF3-SPB 3800	3800
MF3-SPB 3810	3810
MF3-SPB 3825	3825
MF3-SPB 3850	3850
MF3-SPB 3870	3870
MF3-SPB 3875	3875
MF3-SPB 3900	3900
MF3-SPB 3925	3925
MF3-SPB 3950	3950
MF3-SPB 4000	4000
MF3-SPB 4020	4020
MF3-SPB 4050	4050
MF3-SPB 4060	4060
MF3-SPB 4065	4065
MF3-SPB 4100	4100
MF3-SPB 4120	4120
MF3-SPB 4150	4150
MF3-SPB 4300	4300
MF3-SPB 4310	4310
MF3-SPB 4320	4320
MF3-SPB 4400	4400
MF3-SPB 4450	4450
MF3-SPB 4490	4490
MF3-SPB 4500	4500
MF3-SPB 4550	4550

SPB	
Product Code	Pitch Length
MF3-SPB 4560	4560
MF3-SPB 4570	4570
MF3-SPB 4600	4600
MF3-SPB 4620	4620
MF3-SPB 4650	4650
MF3-SPB 4680	4680
MF3-SPB 4700	4700
MF3-SPB 4730	4730
MF3-SPB 4750	4750
MF3-SPB 4800	4800
MF3-SPB 4810	4810
MF3-SPB 4820	4820
MF3-SPB 4826	4826
MF3-SPB 4830	4830
MF3-SPB 4850	4850
MF3-SPB 4870	4870
MF3-SPB 4880	4880
MF3-SPB 4900	4900
MF3-SPB 4910	4910
MF3-SPB 4950	4950
MF3-SPB 5000	5000
MF3-SPB 5050	5050
MF3-SPB 5200	5200
MF3-SPB 5275	5275
MF3-SPB 5300	5300
MF3-SPB 5380	5380
MF3-SPB 5400	5400
MF3-SPB 5900	5900
MF3-SPB 6000	6000
MF3-SPB 6500	6500
MF3-SPB 6600	6600
MF3-SPB 7060	7060
MF3-SPB 7300	7300
MF3-SPB 7400	7400
MF3-SPB 7500	7500
MF3-SPB 7620	7620
MF3-SPB 7800	7800
MF3-SPB 7900	7900
MF3-SPB 8000	8000
MF3-SPB 8300	8300
MF3-SPB 8500	8500
MF3-SPB 9000	9000
MF3-SPB 9100	9100
MF3-SPB 10000	10000
MF3-SPB 12000	12000
MF3-SPB 16824	16824
MF3-SPB 18000	18000
MF3-SPB 19000	19000
MF3-SPB 19800	19800
MF3-SPB 20000	20000
MF3-SPB 20500	20500
MF3-SPB 21000	21000
MF3-SPB 22000	22000
MF3-SPB 23606	23606

Product range



SPC	
Product Code	Pitch Length
MF3-SPC 1861	1861
MF3-SPC 1900	1900
MF3-SPC 1910	1910
MF3-SPC 1950	1950
MF3-SPC 2000	2000
MF3-SPC 2010	2010
MF3-SPC 2020	2020
MF3-SPC 2040	2040
MF3-SPC 2050	2050
MF3-SPC 2060	2060
MF3-SPC 2080	2080
MF3-SPC 2088	2088
MF3-SPC 2110	2110
MF3-SPC 2120	2120
MF3-SPC 2150	2150
MF3-SPC 2200	2200
MF3-SPC 2215	2215
MF3-SPC 2240	2240
MF3-SPC 2250	2250
MF3-SPC 2255	2255
MF3-SPC 2260	2260
MF3-SPC 2280	2280
MF3-SPC 2300	2300
MF3-SPC 2330	2330
MF3-SPC 2335	2335
MF3-SPC 2340	2340
MF3-SPC 2350	2350
MF3-SPC 2360	2360
MF3-SPC 2380	2380
MF3-SPC 2400	2400
MF3-SPC 2410	2410
MF3-SPC 2450	2450
MF3-SPC 2465	2465
MF3-SPC 2500	2500
MF3-SPC 2520	2520
MF3-SPC 2530	2530
MF3-SPC 2540	2540
MF3-SPC 2550	2550
MF3-SPC 2560	2560
MF3-SPC 2600	2600
MF3-SPC 2620	2620
MF3-SPC 2630	2630
MF3-SPC 2650	2650
MF3-SPC 2680	2680
MF3-SPC 2690	2690
MF3-SPC 2700	2700
MF3-SPC 2720	2720
MF3-SPC 2750	2750
MF3-SPC 2800	2800
MF3-SPC 2825	2825
MF3-SPC 2845	2845
MF3-SPC 2860	2860
MF3-SPC 2870	2870
MF3-SPC 2890	2890


SPC	
Product Code	Pitch Length
MF3-SPC 2900	2900
MF3-SPC 2920	2920
MF3-SPC 2950	2950
MF3-SPC 3000	3000
MF3-SPC 3030	3030
MF3-SPC 3050	3050
MF3-SPC 3070	3070
MF3-SPC 3080	3080
MF3-SPC 3100	3100
MF3-SPC 3150	3150
MF3-SPC 3170	3170
MF3-SPC 3200	3200
MF3-SPC 3240	3240
MF3-SPC 3250	3250
MF3-SPC 3260	3260
MF3-SPC 3300	3300
MF3-SPC 3310	3310
MF3-SPC 3380	3380
MF3-SPC 3400	3400
MF3-SPC 3425	3425
MF3-SPC 3450	3450
MF3-SPC 3460	3460
MF3-SPC 3475	3475
MF3-SPC 3500	3500
MF3-SPC 3510	3510
MF3-SPC 3520	3520
MF3-SPC 3525	3525
MF3-SPC 3550	3550
MF3-SPC 3555	3555
MF3-SPC 3575	3575
MF3-SPC 3600	3600
MF3-SPC 3625	3625
MF3-SPC 3650	3650
MF3-SPC 3675	3675
MF3-SPC 3690	3690
MF3-SPC 3700	3700
MF3-SPC 3710	3710
MF3-SPC 3725	3725
MF3-SPC 3750	3750
MF3-SPC 3780	3780
MF3-SPC 3800	3800
MF3-SPC 3820	3820
MF3-SPC 3825	3825
MF3-SPC 3850	3850
MF3-SPC 3870	3870
MF3-SPC 3875	3875
MF3-SPC 3900	3900
MF3-SPC 3920	3920
MF3-SPC 3950	3950
MF3-SPC 3970	3970
MF3-SPC 3975	3975
MF3-SPC 4000	4000
MF3-SPC 4020	4020
MF3-SPC 4050	4050

SPC	
Product Code	Pitch Length
MF3-SPC 4060	4060
MF3-SPC 4070	4070
MF3-SPC 4075	4075
MF3-SPC 4080	4080
MF3-SPC 4100	4100
MF3-SPC 4110	4110
MF3-SPC 4150	4150
MF3-SPC 4170	4170
MF3-SPC 4200	4200
MF3-SPC 4300	4300
MF3-SPC 4325	4325
MF3-SPC 4350	4350
MF3-SPC 4370	4370
MF3-SPC 4380	4380
MF3-SPC 4400	4400
MF3-SPC 4430	4430
MF3-SPC 4445	4445
MF3-SPC 4500	4500
MF3-SPC 4560	4560
MF3-SPC 4580	4580
MF3-SPC 4600	4600
MF3-SPC 4650	4650
MF3-SPC 4700	4700
MF3-SPC 4750	4750
MF3-SPC 4830	4830
MF3-SPC 4850	4850
MF3-SPC 4900	4900
MF3-SPC 4950	4950
MF3-SPC 4975	4975
MF3-SPC 4980	4980
MF3-SPC 5000	5000
MF3-SPC 5050	5050
MF3-SPC 5100	5100
MF3-SPC 5125	5125
MF3-SPC 5150	5150
MF3-SPC 5200	5200
MF3-SPC 5240	5240
MF3-SPC 5250	5250
MF3-SPC 5300	5300
MF3-SPC 5350	5350
MF3-SPC 5375	5375
MF3-SPC 5380	5380
MF3-SPC 5390	5390
MF3-SPC 5400	5400
MF3-SPC 5430	5430
MF3-SPC 5450	5450
MF3-SPC 5500	5500
MF3-SPC 5525	5525
MF3-SPC 5550	5550
MF3-SPC 5600	5600
MF3-SPC 5630	5630
MF3-SPC 5650	5650
MF3-SPC 5675	5675
MF3-SPC 5700	5700

SPC	
Product Code	Pitch Length
MF3-SPC 5750	5750
MF3-SPC 5760	5760
MF3-SPC 5800	5800
MF3-SPC 5840	5840
MF3-SPC 5850	5850
MF3-SPC 5865	5865
MF3-SPC 5900	5900
MF3-SPC 6000	6000
MF3-SPC 6050	6050
MF3-SPC 6100	6100
MF3-SPC 6150	6150
MF3-SPC 6200	6200
MF3-SPC 6300	6300
MF3-SPC 6400	6400
MF3-SPC 6500	6500
MF3-SPC 6530	6530
MF3-SPC 6600	6600
MF3-SPC 6700	6700
MF3-SPC 6800	6800
MF3-SPC 6850	6850
MF3-SPC 6900	6900
MF3-SPC 6930	6930
MF3-SPC 6950	6950
MF3-SPC 7000	7000
MF3-SPC 7020	7020
MF3-SPC 7100	7100
MF3-SPC 7106	7106
MF3-SPC 7200	7200
MF3-SPC 7220	7220
MF3-SPC 7250	7250
MF3-SPC 7300	7300
MF3-SPC 7350	7350
MF3-SPC 7400	7400
MF3-SPC 7450	7450
MF3-SPC 7500	7500
MF3-SPC 7555	7555
MF3-SPC 7600	7600
MF3-SPC 7610	7610
MF3-SPC 7620	7620
MF3-SPC 7640	7640
MF3-SPC 7700	7700
MF3-SPC 7750	7750
MF3-SPC 7800	7800
MF3-SPC 7900	7900
MF3-SPC 7970	7970
MF3-SPC 9300	9300
MF3-SPC 12140	12140
MF3-SPC 12410	12410
MF3-SPC 12500	12500
MF3-SPC 12800	12800
MF3-SPC 13500	13500
MF3-SPC 14600	14600
MF3-SPC 16500	16500
MF3-SPC 23629	23629

PIX-Muscle®-XS3

Product range



3V		3V		5V		5V	
Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length
MF3-3V 195	19.5	MF3-3V 730	73.0	MF3-5V 470	47.0	MF3-5V 1350	135.0
MF3-3V 210	21.0	MF3-3V 750	75.0	MF3-5V 500	50.0	MF3-5V 1370	137.0
MF3-3V 250	25.0	MF3-3V 760	76.0	MF3-5V 520	52.0	MF3-5V 1400	140.0
MF3-3V 265	26.5	MF3-3V 770	77.0	MF3-5V 530	53.0	MF3-5V 1405	140.5
MF3-3V 275	27.5	MF3-3V 780	78.0	MF3-5V 600	60.0	MF3-5V 1430	143.0
MF3-3V 280	28.0	MF3-3V 790	79.0	MF3-5V 660	66.0	MF3-5V 1450	145.0
MF3-3V 300	30.0	MF3-3V 800	80.0	MF3-5V 670	67.0	MF3-5V 1500	150.0
MF3-3V 315	31.5	MF3-3V 810	81.0	MF3-5V 690	69.0	MF3-5V 1510	151.0
MF3-3V 320	32.0	MF3-3V 820	82.0	MF3-5V 700	70.0	MF3-5V 1550	155.0
MF3-3V 325	32.5	MF3-3V 830	83.0	MF3-5V 750	75.0	MF3-5V 1580	158.0
MF3-3V 330	33.0	MF3-3V 840	84.0	MF3-5V 770	77.0	MF3-5V 1595	159.5
MF3-3V 335	33.5	MF3-3V 850	85.0	MF3-5V 780	78.0	MF3-5V 1600	160.0
MF3-3V 340	34.0	MF3-3V 860	86.0	MF3-5V 800	80.0	MF3-5V 1640	164.0
MF3-3V 350	35.0	MF3-3V 870	87.0	MF3-5V 830	83.0	MF3-5V 1650	165.0
MF3-3V 355	35.5	MF3-3V 890	89.0	MF3-5V 835	83.5	MF3-5V 1700	170.0
MF3-3V 360	36.0	MF3-3V 900	90.0	MF3-5V 840	84.0	MF3-5V 1750	175.0
MF3-3V 370	37.0	MF3-3V 920	92.0	MF3-5V 850	85.0	MF3-5V 1760	176.0
MF3-3V 375	37.5	MF3-3V 940	94.0	MF3-5V 860	86.0	MF3-5V 1770	177.0
MF3-3V 380	38.0	MF3-3V 950	95.0	MF3-5V 900	90.0	MF3-5V 1800	180.0
MF3-3V 390	39.0	MF3-3V 960	96.0	MF3-5V 910	91.0	MF3-5V 1900	190.0
MF3-3V 400	40.0	MF3-3V 980	98.0	MF3-5V 920	92.0	MF3-5V 1960	196.0
MF3-3V 415	41.5	MF3-3V 1000	100.0	MF3-5V 930	93.0	MF3-5V 1970	197.0
MF3-3V 420	42.0	MF3-3V 1010	101.0	MF3-5V 950	95.0	MF3-5V 2000	200.0
MF3-3V 425	42.5	MF3-3V 1050	105.0	MF3-5V 960	96.0	MF3-5V 2050	205.0
MF3-3V 430	43.0	MF3-3V 1060	106.0	MF3-5V 975	97.5	MF3-5V 2060	206.0
MF3-3V 450	45.0	MF3-3V 1080	108.0	MF3-5V 980	98.0	MF3-5V 2115	211.5
MF3-3V 455	45.5	MF3-3V 1120	112.0	MF3-5V 985	98.5	MF3-5V 2120	212.0
MF3-3V 460	46.0	MF3-3V 1140	114.0	MF3-5V 995	99.5	MF3-5V 2150	215.0
MF3-3V 475	47.5	MF3-3V 1150	115.0	MF3-5V 1000	100.0	MF3-5V 2170	217.0
MF3-3V 480	48.0	MF3-3V 1180	118.0	MF3-5V 1010	101.0	MF3-5V 2180	218.0
MF3-3V 490	49.0	MF3-3V 1200	120.0	MF3-5V 1020	102.0	MF3-5V 2330	233.0
MF3-3V 495	49.5	MF3-3V 1250	125.0	MF3-5V 1030	103.0	MF3-5V 2440	244.0
MF3-3V 500	50.0	MF3-3V 1280	128.0	MF3-5V 1040	104.0	MF3-5V 2450	245.0
MF3-3V 510	51.0	MF3-3V 1320	132.0	MF3-5V 1050	105.0	MF3-5V 2480	248.0
MF3-3V 520	52.0	MF3-3V 1350	135.0	MF3-5V 1055	105.5	MF3-5V 6570	657.0
MF3-3V 530	53.0	MF3-3V 1400	140.0	MF3-5V 1070	107.0	MF3-5V 7000	700.0
MF3-3V 550	55.0	MF3-3V 1500	150.0	MF3-5V 1090	109.0	MF3-5V 7075	707.5
MF3-3V 560	56.0	MF3-3V 1520	152.0	MF3-5V 1100	110.0	MF3-5V 7150	715.0
MF3-3V 575	57.5	MF3-3V 1530	153.0	MF3-5V 1110	111.0	MF3-5V 7300	730.0
MF3-3V 580	58.0	MF3-3V 1590	159.0	MF3-5V 1120	112.0	MF3-5V 7675	767.5
MF3-3V 590	59.0			MF3-5V 1140	114.0	MF3-5V 7750	775.0
MF3-3V 600	60.0			MF3-5V 1150	115.0	MF3-5V 7900	790.0
MF3-3V 620	62.0			MF3-5V 1160	116.0	MF3-5V 7975	797.5
MF3-3V 630	63.0			MF3-5V 1180	118.0	MF3-5V 8050	805.0
MF3-3V 635	63.5			MF3-5V 1200	120.0	MF3-5V 8125	812.5
MF3-3V 640	64.0			MF3-5V 1210	121.0	MF3-5V 8350	835.0
MF3-3V 650	65.0			MF3-5V 1220	122.0	MF3-5V 8425	842.5
MF3-3V 660	66.0			MF3-5V 1240	124.0	MF3-5V 8575	857.5
MF3-3V 670	67.0			MF3-5V 1250	125.0	MF3-5V 8650	865.0
MF3-3V 680	68.0			MF3-5V 1290	129.0	MF3-5V 8800	880.0
MF3-3V 690	69.0			MF3-5V 1300	130.0	MF3-5V 8950	895.0
MF3-3V 700	70.0			MF3-5V 1320	132.0	MF3-5V 9025	902.5
MF3-3V 710	71.0			MF3-5V 1330	133.0	MF3-5V 9100	910.0
MF3-3V 720	72.0			MF3-5V 1340	134.0	MF3-5V 9300	930.0

Outside length in inches

Intermediate sizes are available upon request

PIX-Muscle®-XS3

Product range



8V	
Product Code	Outside Length
MF3-8V 1000	100.0
MF3-8V 1050	105.0
MF3-8V 1060	106.0
MF3-8V 1110	111.0
MF3-8V 1120	112.0
MF3-8V 1140	114.0
MF3-8V 1180	118.0
MF3-8V 1200	120.0
MF3-8V 1240	124.0
MF3-8V 1250	125.0
MF3-8V 1300	130.0
MF3-8V 1310	131.0
MF3-8V 1320	132.0
MF3-8V 1330	133.0
MF3-8V 1340	134.0
MF3-8V 1350	135.0
MF3-8V 1380	138.0
MF3-8V 1390	139.0
MF3-8V 1400	140.0
MF3-8V 1430	143.0
MF3-8V 1440	144.0
MF3-8V 1480	148.0
MF3-8V 1500	150.0
MF3-8V 1505	150.5
MF3-8V 1530	153.0
MF3-8V 1550	155.0


8V	
Product Code	Outside Length
MF3-8V 1575	157.5
MF3-8V 1590	159.0
MF3-8V 1600	160.0
MF3-8V 1640	164.0
MF3-8V 1650	165.0
MF3-8V 1660	166.0
MF3-8V 1700	170.0
MF3-8V 1740	174.0
MF3-8V 1750	175.0
MF3-8V 1800	180.0
MF3-8V 1840	184.0
MF3-8V 1850	185.0
MF3-8V 1860	186.0
MF3-8V 1870	187.0
MF3-8V 1900	190.0
MF3-8V 1950	195.0
MF3-8V 1990	199.0
MF3-8V 2000	200.0
MF3-8V 2040	204.0
MF3-8V 2090	209.0
MF3-8V 2100	210.0
MF3-8V 2120	212.0
MF3-8V 2140	214.0
MF3-8V 2230	223.0
MF3-8V 2240	224.0
MF3-8V 2250	225.0

8V	
Product Code	Outside Length
MF3-8V 2350	235.0
MF3-8V 2360	236.0
MF3-8V 2380	238.0
MF3-8V 2480	248.0
MF3-8V 2490	249.0
MF3-8V 2500	250.0
MF3-8V 2540	254.0
MF3-8V 2550	255.0
MF3-8V 2570	257.0
MF3-8V 2600	260.0
MF3-8V 2650	265.0
MF3-8V 2680	268.0
MF3-8V 2700	270.0
MF3-8V 2750	275.0
MF3-8V 2800	280.0
MF3-8V 2845	284.5
MF3-8V 2900	290.0
MF3-8V 3000	300.0
MF3-8V 3150	315.0
MF3-8V 3200	320.0
MF3-8V 3210	321.0
MF3-8V 3270	327.0
MF3-8V 3350	335.0
MF3-8V 3470	347.0
MF3-8V 3500	350.0
MF3-8V 3550	355.0

8V	
Product Code	Outside Length
MF3-8V 3600	360.0
MF3-8V 3750	375.0
MF3-8V 3800	380.0
MF3-8V 3900	390.0
MF3-8V 3940	394.0
MF3-8V 4000	400.0
MF3-8V 4050	405.0
MF3-8V 4220	422.0
MF3-8V 4225	422.5
MF3-8V 4250	425.0
MF3-8V 4500	450.0
MF3-8V 4740	474.0
MF3-8V 4750	475.0
MF3-8V 4960	496.0
MF3-8V 5000	500.0
MF3-8V 5300	530.0
MF3-8V 5600	560.0
MF3-8V 5705	570.5
MF3-8V 5800	580.0
MF3-8V 5820	582.0
MF3-8V 6350	635.0
MF3-8V 8500	850.0
MF3-8V 9000	900.0
MF3-8V 9050	905.0
MF3-8V 9330	933.0

PIX-Muscle®-HXS3

Product range



HSPZ

Product Code	Pitch Length
MF3-HSPZ 1310	1310
MF3-HSPZ 1312	1312
MF3-HSPZ 1320	1320
MF3-HSPZ 1335	1335
MF3-HSPZ 1337	1337
MF3-HSPZ 1340	1340
MF3-HSPZ 1350	1350
MF3-HSPZ 1360	1360
MF3-HSPZ 1362	1362
MF3-HSPZ 1385	1385
MF3-HSPZ 1387	1387
MF3-HSPZ 1400	1400
MF3-HSPZ 1412	1412
MF3-HSPZ 1420	1420
MF3-HSPZ 1437	1437
MF3-HSPZ 1450	1450
MF3-HSPZ 1462	1462
MF3-HSPZ 1470	1470
MF3-HSPZ 1487	1487
MF3-HSPZ 1500	1500
MF3-HSPZ 1512	1512
MF3-HSPZ 1520	1520
MF3-HSPZ 1535	1535
MF3-HSPZ 1537	1537
MF3-HSPZ 1550	1550
MF3-HSPZ 1560	1560
MF3-HSPZ 1562	1562
MF3-HSPZ 1585	1585
MF3-HSPZ 1587	1587
MF3-HSPZ 1600	1600
MF3-HSPZ 1612	1612
MF3-HSPZ 1637	1637

HSPZ

Product Code	Pitch Length
MF3-HSPZ 1650	1650
MF3-HSPZ 1662	1662
MF3-HSPZ 1675	1675
MF3-HSPZ 1687	1687
MF3-HSPZ 1690	1690
MF3-HSPZ 1700	1700
MF3-HSPZ 1706	1706
MF3-HSPZ 1732	1732
MF3-HSPZ 1737	1737
MF3-HSPZ 1750	1750
MF3-HSPZ 1762	1762
MF3-HSPZ 1787	1787
MF3-HSPZ 1800	1800
MF3-HSPZ 1837	1837
MF3-HSPZ 1850	1850
MF3-HSPZ 1862	1862
MF3-HSPZ 1900	1900
MF3-HSPZ 1937	1937
MF3-HSPZ 1950	1950
MF3-HSPZ 1960	1960
MF3-HSPZ 1962	1962
MF3-HSPZ 1987	1987
MF3-HSPZ 2000	2000
MF3-HSPZ 2030	2030
MF3-HSPZ 2037	2037
MF3-HSPZ 2060	2060
MF3-HSPZ 2062	2062
MF3-HSPZ 2100	2100
MF3-HSPZ 2120	2120
MF3-HSPZ 2137	2137
MF3-HSPZ 2150	2150
MF3-HSPZ 2160	2160

HSPZ

Product Code	Pitch Length
MF3-HSPZ 2180	2180
MF3-HSPZ 2182	2182
MF3-HSPZ 2187	2187
MF3-HSPZ 2200	2200
MF3-HSPZ 2240	2240
MF3-HSPZ 2280	2280
MF3-HSPZ 2287	2287
MF3-HSPZ 2300	2300
MF3-HSPZ 2360	2360
MF3-HSPZ 2410	2410
MF3-HSPZ 2423	2423
MF3-HSPZ 2437	2437
MF3-HSPZ 2450	2450
MF3-HSPZ 2500	2500
MF3-HSPZ 2540	2540
MF3-HSPZ 2600	2600
MF3-HSPZ 2650	2650
MF3-HSPZ 2670	2670
MF3-HSPZ 2685	2685
MF3-HSPZ 2690	2690
MF3-HSPZ 2700	2700
MF3-HSPZ 2760	2760
MF3-HSPZ 2780	2780
MF3-HSPZ 2790	2790
MF3-HSPZ 2800	2800
MF3-HSPZ 2840	2840
MF3-HSPZ 2875	2875
MF3-HSPZ 2890	2890
MF3-HSPZ 2900	2900
MF3-HSPZ 3000	3000
MF3-HSPZ 3150	3150
MF3-HSPZ 3200	3200

HSPZ

Product Code	Pitch Length
MF3-HSPZ 3350	3350
MF3-HSPZ 3450	3450
MF3-HSPZ 3500	3500
MF3-HSPZ 3550	3550
MF3-HSPZ 3750	3750
MF3-HSPZ 3800	3800
MF3-HSPZ 3985	3985
MF3-HSPZ 4000	4000
MF3-HSPZ 4120	4120
MF3-HSPZ 4210	4210
MF3-HSPZ 4285	4285
MF3-HSPZ 4300	4300
MF3-HSPZ 4320	4320
MF3-HSPZ 4400	4400
MF3-HSPZ 4500	4500
MF3-HSPZ 4515	4515
MF3-HSPZ 5000	5000
MF3-HSPZ 5100	5100
MF3-HSPZ 5200	5200
MF3-HSPZ 5300	5300
MF3-HSPZ 5400	5400
MF3-HSPZ 5500	5500
MF3-HSPZ 5600	5600
MF3-HSPZ 5700	5700
MF3-HSPZ 6000	6000
MF3-HSPZ 6300	6300
MF3-HSPZ 6539	6539

HSPA

Product Code	Pitch Length
MF3-HSPA 1315	1315
MF3-HSPA 1450	1450
MF3-HSPA 1460	1460
MF3-HSPA 1500	1500
MF3-HSPA 1550	1550
MF3-HSPA 1557	1557
MF3-HSPA 1600	1600
MF3-HSPA 1650	1650
MF3-HSPA 1657	1657
MF3-HSPA 1700	1700
MF3-HSPA 1750	1750
MF3-HSPA 1800	1800
MF3-HSPA 1850	1850
MF3-HSPA 1900	1900
MF3-HSPA 1950	1950
MF3-HSPA 2000	2000
MF3-HSPA 2050	2050
MF3-HSPA 2100	2100

HSPA


Product Code	Pitch Length
MF3-HSPA 2120	2120
MF3-HSPA 2150	2150
MF3-HSPA 2200	2200
MF3-HSPA 2240	2240
MF3-HSPA 2282	2282
MF3-HSPA 2300	2300
MF3-HSPA 2360	2360
MF3-HSPA 2400	2400
MF3-HSPA 2432	2432
MF3-HSPA 2450	2450
MF3-HSPA 2500	2500
MF3-HSPA 2600	2600
MF3-HSPA 2650	2650
MF3-HSPA 2670	2670
MF3-HSPA 2685	2685
MF3-HSPA 2690	2690
MF3-HSPA 2700	2700
MF3-HSPA 2732	2732

HSPA


Product Code	Pitch Length
MF3-HSPA 2742	2742
MF3-HSPA 2750	2750
MF3-HSPA 2780	2780
MF3-HSPA 2790	2790
MF3-HSPA 2800	2800
MF3-HSPA 2850	2850
MF3-HSPA 2875	2875
MF3-HSPA 2890	2890
MF3-HSPA 2900	2900
MF3-HSPA 3000	3000
MF3-HSPA 3020	3020
MF3-HSPA 3050	3050
MF3-HSPA 3100	3100
MF3-HSPA 3150	3150
MF3-HSPA 3200	3200
MF3-HSPA 3250	3250
MF3-HSPA 3300	3300
MF3-HSPA 3350	3350

HSPA

Product Code	Pitch Length
MF3-HSPA 3400	3400
MF3-HSPA 3450	3450
MF3-HSPA 3500	3500
MF3-HSPA 3550	3550
MF3-HSPA 3750	3750
MF3-HSPA 3800	3800
MF3-HSPA 3985	3985
MF3-HSPA 4000	4000
MF3-HSPA 4060	4060
MF3-HSPA 4120	4120
MF3-HSPA 4210	4210
MF3-HSPA 4250	4250
MF3-HSPA 4285	4285
MF3-HSPA 4300	4300
MF3-HSPA 4320	4320
MF3-HSPA 4363	4363



Product range



HSPB

Product Code	Pitch Length
MF3-HSPB 1762	1762
MF3-HSPB 1770	1770
MF3-HSPB 1785	1785
MF3-HSPB 1800	1800
MF3-HSPB 1825	1825
MF3-HSPB 1830	1830
MF3-HSPB 1840	1840
MF3-HSPB 1850	1850
MF3-HSPB 1860	1860
MF3-HSPB 1880	1880
MF3-HSPB 1900	1900
MF3-HSPB 1925	1925
MF3-HSPB 1950	1950
MF3-HSPB 1975	1975
MF3-HSPB 2000	2000
MF3-HSPB 2020	2020
MF3-HSPB 2025	2025
MF3-HSPB 2030	2030
MF3-HSPB 2050	2050
MF3-HSPB 2055	2055
MF3-HSPB 2060	2060
MF3-HSPB 2070	2070
MF3-HSPB 2075	2075
MF3-HSPB 2080	2080
MF3-HSPB 2100	2100
MF3-HSPB 2112	2112
MF3-HSPB 2120	2120
MF3-HSPB 2125	2125
MF3-HSPB 2130	2130
MF3-HSPB 2140	2140
MF3-HSPB 2150	2150
MF3-HSPB 2170	2170
MF3-HSPB 2175	2175
MF3-HSPB 2180	2180
MF3-HSPB 2190	2190
MF3-HSPB 2200	2200
MF3-HSPB 2225	2225
MF3-HSPB 2240	2240
MF3-HSPB 2250	2250
MF3-HSPB 2275	2275
MF3-HSPB 2280	2280
MF3-HSPB 2300	2300

HSPB

Product Code	Pitch Length
MF3-HSPB 2310	2310
MF3-HSPB 2325	2325
MF3-HSPB 2350	2350
MF3-HSPB 2360	2360
MF3-HSPB 2375	2375
MF3-HSPB 2400	2400
MF3-HSPB 2410	2410
MF3-HSPB 2425	2425
MF3-HSPB 2450	2450
MF3-HSPB 2475	2475
MF3-HSPB 2500	2500
MF3-HSPB 2510	2510
MF3-HSPB 2525	2525
MF3-HSPB 2530	2530
MF3-HSPB 2550	2550
MF3-HSPB 2555	2555
MF3-HSPB 2575	2575
MF3-HSPB 2585	2585
MF3-HSPB 2595	2595
MF3-HSPB 2600	2600
MF3-HSPB 2625	2625
MF3-HSPB 2650	2650
MF3-HSPB 2675	2675
MF3-HSPB 2700	2700
MF3-HSPB 2710	2710
MF3-HSPB 2720	2720
MF3-HSPB 2725	2725
MF3-HSPB 2750	2750
MF3-HSPB 2760	2760
MF3-HSPB 2775	2775
MF3-HSPB 2800	2800
MF3-HSPB 2825	2825
MF3-HSPB 2840	2840
MF3-HSPB 2850	2850
MF3-HSPB 2875	2875
MF3-HSPB 2900	2900
MF3-HSPB 2920	2920
MF3-HSPB 2925	2925
MF3-HSPB 2950	2950
MF3-HSPB 2975	2975
MF3-HSPB 2990	2990
MF3-HSPB 3000	3000

HSPB


Product Code	Pitch Length
MF3-HSPB 3050	3050
MF3-HSPB 3100	3100
MF3-HSPB 3125	3125
MF3-HSPB 3150	3150
MF3-HSPB 3170	3170
MF3-HSPB 3300	3300
MF3-HSPB 3350	3350
MF3-HSPB 3400	3400
MF3-HSPB 3450	3450
MF3-HSPB 3500	3500
MF3-HSPB 3550	3550
MF3-HSPB 3556	3556
MF3-HSPB 3600	3600
MF3-HSPB 3650	3650
MF3-HSPB 3670	3670
MF3-HSPB 3700	3700
MF3-HSPB 3733	3733
MF3-HSPB 3750	3750
MF3-HSPB 3800	3800
MF3-HSPB 3810	3810
MF3-HSPB 3850	3850
MF3-HSPB 3900	3900
MF3-HSPB 3950	3950
MF3-HSPB 4000	4000
MF3-HSPB 4020	4020
MF3-HSPB 4040	4040
MF3-HSPB 4050	4050
MF3-HSPB 4060	4060
MF3-HSPB 4100	4100
MF3-HSPB 4200	4200
MF3-HSPB 4250	4250
MF3-HSPB 4300	4300
MF3-HSPB 4310	4310
MF3-HSPB 4320	4320
MF3-HSPB 4380	4380
MF3-HSPB 4400	4400
MF3-HSPB 4500	4500
MF3-HSPB 4550	4550
MF3-HSPB 4560	4560
MF3-HSPB 4600	4600
MF3-HSPB 4663	4663
MF3-HSPB 4680	4680

HSPB

Product Code	Pitch Length
MF3-HSPB 4750	4750
MF3-HSPB 4820	4820
MF3-HSPB 5000	5000
MF3-HSPB 5070	5070
MF3-HSPB 5100	5100
MF3-HSPB 5150	5150
MF3-HSPB 5200	5200
MF3-HSPB 5300	5300
MF3-HSPB 5400	5400
MF3-HSPB 5500	5500
MF3-HSPB 5600	5600
MF3-HSPB 5680	5680
MF3-HSPB 5700	5700
MF3-HSPB 5850	5850
MF3-HSPB 5900	5900
MF3-HSPB 5990	5990
MF3-HSPB 6000	6000
MF3-HSPB 6300	6300
MF3-HSPB 6340	6340
MF3-HSPB 6500	6500
MF3-HSPB 6700	6700
MF3-HSPB 6750	6750
MF3-HSPB 6850	6850
MF3-HSPB 7000	7000
MF3-HSPB 7100	7100
MF3-HSPB 7365	7365
MF3-HSPB 7450	7450
MF3-HSPB 7500	7500
MF3-HSPB 7620	7620
MF3-HSPB 7990	7990
MF3-HSPB 8000	8000
MF3-HSPB 8100	8100
MF3-HSPB 8300	8300
MF3-HSPB 8500	8500
MF3-HSPB 8750	8750
MF3-HSPB 9000	9000
MF3-HSPB 9100	9100
MF3-HSPB 9140	9140
MF3-HSPB 10068	10068

PIX-Muscle®-HXS3


Product range



HSPC		HSPC		HSPC		HSPC	
Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length	Product Code	Pitch Length
MF3-HSPC 1632	1632	MF3-HSPC 3810	3810	MF3-HSPC 5700	5700	MF3-HSPC 8600	8600
MF3-HSPC 2000	2000	MF3-HSPC 3820	3820	MF3-HSPC 5750	5750	MF3-HSPC 8650	8650
MF3-HSPC 2050	2050	MF3-HSPC 3850	3850	MF3-HSPC 5800	5800	MF3-HSPC 8700	8700
MF3-HSPC 2150	2150	MF3-HSPC 3875	3875	MF3-HSPC 5850	5850	MF3-HSPC 8750	8750
MF3-HSPC 2300	2300	MF3-HSPC 3900	3900	MF3-HSPC 5865	5865	MF3-HSPC 8800	8800
MF3-HSPC 2360	2360	MF3-HSPC 3950	3950	MF3-HSPC 5900	5900	MF3-HSPC 8850	8850
MF3-HSPC 2390	2390	MF3-HSPC 3970	3970	MF3-HSPC 5950	5950	MF3-HSPC 8900	8900
MF3-HSPC 2400	2400	MF3-HSPC 4000	4000	MF3-HSPC 6000	6000	MF3-HSPC 8950	8950
MF3-HSPC 2440	2440	MF3-HSPC 4100	4100	MF3-HSPC 6200	6200	MF3-HSPC 9000	9000
MF3-HSPC 2450	2450	MF3-HSPC 4150	4150	MF3-HSPC 6230	6230	MF3-HSPC 9250	9250
MF3-HSPC 2500	2500	MF3-HSPC 4200	4200	MF3-HSPC 6300	6300	MF3-HSPC 9300	9300
MF3-HSPC 2550	2550	MF3-HSPC 4250	4250	MF3-HSPC 6400	6400	MF3-HSPC 9500	9500
MF3-HSPC 2650	2650	MF3-HSPC 4400	4400	MF3-HSPC 6480	6480	MF3-HSPC 10000	10000
MF3-HSPC 2655	2655	MF3-HSPC 4445	4445	MF3-HSPC 6500	6500	MF3-HSPC 10500	10500
MF3-HSPC 2750	2750	MF3-HSPC 4500	4500	MF3-HSPC 6600	6600	MF3-HSPC 10600	10600
MF3-HSPC 2780	2780	MF3-HSPC 4570	4570	MF3-HSPC 6700	6700	MF3-HSPC 11000	11000
MF3-HSPC 2800	2800	MF3-HSPC 4580	4580	MF3-HSPC 6785	6785	MF3-HSPC 11200	11200
MF3-HSPC 2850	2850	MF3-HSPC 4600	4600	MF3-HSPC 6800	6800	MF3-HSPC 11500	11500
MF3-HSPC 2900	2900	MF3-HSPC 4650	4650	MF3-HSPC 6900	6900	MF3-HSPC 11800	11800
MF3-HSPC 2950	2950	MF3-HSPC 4750	4750	MF3-HSPC 6925	6925	MF3-HSPC 12000	12000
MF3-HSPC 3000	3000	MF3-HSPC 4800	4800	MF3-HSPC 7000	7000	MF3-HSPC 12500	12500
MF3-HSPC 3030	3030	MF3-HSPC 4850	4850	MF3-HSPC 7100	7100	MF3-HSPC 12800	12800
MF3-HSPC 3050	3050	MF3-HSPC 4900	4900	MF3-HSPC 7300	7300	MF3-HSPC 13000	13000
MF3-HSPC 3055	3055	MF3-HSPC 4950	4950	MF3-HSPC 7480	7480	MF3-HSPC 14500	14500
MF3-HSPC 3100	3100	MF3-HSPC 4980	4980	MF3-HSPC 7500	7500	MF3-HSPC 15000	15000
MF3-HSPC 3150	3150	MF3-HSPC 5000	5000	MF3-HSPC 7530	7530	MF3-HSPC 16575	16575
MF3-HSPC 3200	3200	MF3-HSPC 5080	5080	MF3-HSPC 8000	8000	MF3-HSPC 17000	17000
MF3-HSPC 3250	3250	MF3-HSPC 5150	5150	MF3-HSPC 8050	8050	MF3-HSPC 18000	18000
MF3-HSPC 3350	3350	MF3-HSPC 5250	5250	MF3-HSPC 8100	8100	MF3-HSPC 19500	19500
MF3-HSPC 3375	3375	MF3-HSPC 5300	5300	MF3-HSPC 8150	8150	MF3-HSPC 20000	20000
MF3-HSPC 3380	3380	MF3-HSPC 5390	5390	MF3-HSPC 8200	8200	MF3-HSPC 21500	21500
MF3-HSPC 3450	3450	MF3-HSPC 5450	5450	MF3-HSPC 8250	8250	MF3-HSPC 21750	21750
MF3-HSPC 3500	3500	MF3-HSPC 5480	5480	MF3-HSPC 8300	8300	MF3-HSPC 22000	22000
MF3-HSPC 3550	3550	MF3-HSPC 5500	5500	MF3-HSPC 8310	8310	MF3-HSPC 23629	23629
MF3-HSPC 3600	3600	MF3-HSPC 5525	5525	MF3-HSPC 8350	8350		
MF3-HSPC 3650	3650	MF3-HSPC 5550	5550	MF3-HSPC 8400	8400		
MF3-HSPC 3700	3700	MF3-HSPC 5575	5575	MF3-HSPC 8450	8450		
MF3-HSPC 3750	3750	MF3-HSPC 5600	5600	MF3-HSPC 8500	8500		
MF3-HSPC 3780	3780	MF3-HSPC 5650	5650	MF3-HSPC 8550	8550		

PIX-Muscle®-HXS3

Product range



H3V	
Product Code	Outside Length
MF3-H3V 515	51.5
MF3-H3V 520	52.0
MF3-H3V 525	52.5
MF3-H3V 530	53.0
MF3-H3V 532	53.2
MF3-H3V 550	55.0
MF3-H3V 560	56.0
MF3-H3V 565	56.5
MF3-H3V 580	58.0
MF3-H3V 590	59.0
MF3-H3V 600	60.0
MF3-H3V 630	63.0


H3V	
Product Code	Outside Length
MF3-H3V 632	63.2
MF3-H3V 650	65.0
MF3-H3V 670	67.0
MF3-H3V 700	70.0
MF3-H3V 709	70.9
MF3-H3V 710	71.0
MF3-H3V 730	73.0
MF3-H3V 750	75.0
MF3-H3V 800	80.0
MF3-H3V 830	83.0
MF3-H3V 850	85.0
MF3-H3V 900	90.0

H3V	
Product Code	Outside Length
MF3-H3V 920	92.0
MF3-H3V 950	95.0
MF3-H3V 1000	100.0
MF3-H3V 1060	106.0
MF3-H3V 1080	108.0
MF3-H3V 1100	110.0
MF3-H3V 1120	112.0
MF3-H3V 1150	115.0
MF3-H3V 1180	118.0
MF3-H3V 1181	118.1
MF3-H3V 1200	120.0
MF3-H3V 1220	122.0

H3V	
Product Code	Outside Length
MF3-H3V 1250	125.0
MF3-H3V 1300	130.0
MF3-H3V 1320	132.0
MF3-H3V 1350	135.0
MF3-H3V 1380	138.0
MF3-H3V 1400	140.0
MF3-H3V 1500	150.0
MF3-H3V 1520	152.0
MF3-H3V 1600	160.0
MF3-H3V 1720	172.0

Outside length in inches

Intermediate sizes are available upon request



H5V	
Product Code	Outside Length
MF3-H5V 525	52.5
MF3-H5V 530	53.0
MF3-H5V 550	55.0
MF3-H5V 560	56.0
MF3-H5V 600	60.0
MF3-H5V 630	63.0
MF3-H5V 650	65.0
MF3-H5V 670	67.0
MF3-H5V 700	70.0
MF3-H5V 710	71.0
MF3-H5V 750	75.0
MF3-H5V 800	80.0
MF3-H5V 815	81.5
MF3-H5V 835	83.5
MF3-H5V 850	85.0
MF3-H5V 870	87.0
MF3-H5V 900	90.0
MF3-H5V 920	92.0
MF3-H5V 925	92.5
MF3-H5V 930	93.0
MF3-H5V 950	95.0
MF3-H5V 975	97.5
MF3-H5V 985	98.5
MF3-H5V 995	99.5
MF3-H5V 1000	100.0
MF3-H5V 1010	101.0
MF3-H5V 1020	102.0
MF3-H5V 1030	103.0
MF3-H5V 1040	104.0
MF3-H5V 1043	104.3
MF3-H5V 1055	105.5
MF3-H5V 1060	106.0
MF3-H5V 1070	107.0
MF3-H5V 1080	108.0
MF3-H5V 1090	109.0
MF3-H5V 1098	109.8
MF3-H5V 1106	110.6

H5V	
Product Code	Outside Length
MF3-H5V 1110	111.0
MF3-H5V 1120	112.0
MF3-H5V 1130	113.0
MF3-H5V 1150	115.0
MF3-H5V 1155	115.5
MF3-H5V 1180	118.0
MF3-H5V 1197	119.7
MF3-H5V 1200	120.0
MF3-H5V 1210	121.0
MF3-H5V 1230	123.0
MF3-H5V 1240	124.0
MF3-H5V 1250	125.0
MF3-H5V 1260	126.0
MF3-H5V 1270	127.0
MF3-H5V 1280	128.0
MF3-H5V 1290	129.0
MF3-H5V 1310	131.0
MF3-H5V 1320	132.0
MF3-H5V 1330	133.0
MF3-H5V 1340	134.0
MF3-H5V 1370	137.0
MF3-H5V 1399	139.9
MF3-H5V 1400	140.0
MF3-H5V 1405	140.5
MF3-H5V 1407	140.7
MF3-H5V 1420	142.0
MF3-H5V 1430	143.0
MF3-H5V 1460	146.0
MF3-H5V 1464	146.4
MF3-H5V 1476	147.6
MF3-H5V 1500	150.0
MF3-H5V 1524	152.4
MF3-H5V 1550	155.0
MF3-H5V 1575	157.5
MF3-H5V 1595	159.5
MF3-H5V 1600	160.0
MF3-H5V 1614	161.4

H5V	
Product Code	Outside Length
MF3-H5V 1650	165.0
MF3-H5V 1664	166.4
MF3-H5V 1673	167.3
MF3-H5V 1700	170.0
MF3-H5V 1720	172.0
MF3-H5V 1730	173.0
MF3-H5V 1750	175.0
MF3-H5V 1770	177.0
MF3-H5V 1800	180.0
MF3-H5V 1880	188.0
MF3-H5V 1900	190.0
MF3-H5V 1950	195.0
MF3-H5V 1960	196.0
MF3-H5V 1970	197.0
MF3-H5V 2000	200.0
MF3-H5V 2030	203.0
MF3-H5V 2050	205.0
MF3-H5V 2060	206.0
MF3-H5V 2110	211.0
MF3-H5V 2115	211.5
MF3-H5V 2120	212.0
MF3-H5V 2180	218.0
MF3-H5V 2240	224.0
MF3-H5V 2300	230.0
MF3-H5V 2330	233.0
MF3-H5V 2360	236.0
MF3-H5V 2450	245.0
MF3-H5V 2500	250.0
MF3-H5V 2520	252.0
MF3-H5V 2550	255.0
MF3-H5V 2650	265.0
MF3-H5V 2750	275.0
MF3-H5V 2800	280.0
MF3-H5V 2900	290.0
MF3-H5V 2920	292.0
MF3-H5V 3000	300.0
MF3-H5V 3050	305.0


H5V	
Product Code	Outside Length
MF3-H5V 3150	315.0
MF3-H5V 3350	335.0
MF3-H5V 3450	345.0
MF3-H5V 3550	355.0
MF3-H5V 3556	355.6
MF3-H5V 3800	380.0
MF3-H5V 4030	403.0
MF3-H5V 4150	415.0
MF3-H5V 4270	427.0
MF3-H5V 5000	500.0
MF3-H5V 5300	530.0
MF3-H5V 6020	602.0
MF3-H5V 6190	619.0
MF3-H5V 6480	648.0
MF3-H5V 6810	681.0
MF3-H5V 7000	700.0
MF3-H5V 7130	713.0
MF3-H5V 7270	727.0
MF3-H5V 7340	734.0
MF3-H5V 7590	759.0
MF3-H5V 7630	763.0
MF3-H5V 7840	784.0
MF3-H5V 8000	800.0
MF3-H5V 8070	807.0
MF3-H5V 8160	816.0
MF3-H5V 8260	826.0
MF3-H5V 8540	854.0
MF3-H5V 8630	863.0
MF3-H5V 8740	874.0
MF3-H5V 8800	880.0
MF3-H5V 8920	892.0
MF3-H5V 9050	905.0
MF3-H5V 9180	918.0
MF3-H5V 9300	930.0

Outside length in inches

Intermediate sizes are available upon request

PIX-Muscle®-HXS3

Product range



H8V		H8V		H8V		H8V	
Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length	Product Code	Outside Length
MF3-H8V 1000	100.0	MF3-H8V 2240	224.0	MF3-H8V 3800	380.0	MF3-H8V 7000	700.0
MF3-H8V 1060	106.0	MF3-H8V 2250	225.0	MF3-H8V 3820	382.0	MF3-H8V 7250	725.0
MF3-H8V 1120	112.0	MF3-H8V 2350	235.0	MF3-H8V 3850	385.0	MF3-H8V 7300	730.0
MF3-H8V 1180	118.0	MF3-H8V 2360	236.0	MF3-H8V 3920	392.0	MF3-H8V 7500	750.0
MF3-H8V 1250	125.0	MF3-H8V 2500	250.0	MF3-H8V 3940	394.0	MF3-H8V 7600	760.0
MF3-H8V 1320	132.0	MF3-H8V 2540	254.0	MF3-H8V 4000	400.0	MF3-H8V 7750	775.0
MF3-H8V 1330	133.0	MF3-H8V 2600	260.0	MF3-H8V 4050	405.0	MF3-H8V 7850	785.0
MF3-H8V 1400	140.0	MF3-H8V 2650	265.0	MF3-H8V 4060	406.0	MF3-H8V 8000	800.0
MF3-H8V 1500	150.0	MF3-H8V 2700	270.0	MF3-H8V 4250	425.0	MF3-H8V 8100	810.0
MF3-H8V 1575	157.5	MF3-H8V 2750	275.0	MF3-H8V 4500	450.0	MF3-H8V 8250	825.0
MF3-H8V 1600	160.0	MF3-H8V 2800	280.0	MF3-H8V 4740	474.0	MF3-H8V 8400	840.0
MF3-H8V 1650	165.0	MF3-H8V 3000	300.0	MF3-H8V 4750	475.0	MF3-H8V 8500	850.0
MF3-H8V 1700	170.0	MF3-H8V 3140	314.0	MF3-H8V 5000	500.0	MF3-H8V 8600	860.0
MF3-H8V 1750	175.0	MF3-H8V 3150	315.0	MF3-H8V 5125	512.5	MF3-H8V 8750	875.0
MF3-H8V 1800	180.0	MF3-H8V 3200	320.0	MF3-H8V 5250	525.0	MF3-H8V 8800	880.0
MF3-H8V 1870	187.0	MF3-H8V 3300	330.0	MF3-H8V 5500	550.0	MF3-H8V 8900	890.0
MF3-H8V 1874	187.4	MF3-H8V 3350	335.0	MF3-H8V 5600	560.0	MF3-H8V 9000	900.0
MF3-H8V 1900	190.0	MF3-H8V 3470	347.0	MF3-H8V 5670	567.0	MF3-H8V 9100	910.0
MF3-H8V 2000	200.0	MF3-H8V 3500	350.0	MF3-H8V 6000	600.0	MF3-H8V 9315	931.5
MF3-H8V 2040	204.0	MF3-H8V 3550	355.0	MF3-H8V 6250	625.0		
MF3-H8V 2100	210.0	MF3-H8V 3600	360.0	MF3-H8V 6500	650.0		
MF3-H8V 2120	212.0	MF3-H8V 3750	375.0	MF3-H8V 6750	675.0		

Outside length in inches

Intermediate sizes are available upon request

Service Equipment



PIX-Digital Tension Meter



PIX-X'Align
(Laser-guided Pulley
Alignment Instrument)



PIX-Mobile App



PIX-Service Kit



PIX-Collapsible Belt
Length Measure



PIX-Belt Length Measure



PIX-Tension Tester



PIX-Belt Profile Gauge



PIX-Belt Product Kit



PIX-Pulley Gauges



PIX-Pentagon
(Poly-V Belt Wear Gauge)



PIX-Pentagon
(Timing Belt Gauges)



PIX-Banded Pulley
Gauges



PIX-X'slit
(Belt Cutting Machine)



5+
DECADES OF EXPERTISE
& EXPERIENCE



80K+
EXTENSIVE
PRODUCT RANGE



6
GLOBAL
LOCATIONS



100+
COUNTRIES
GLOBAL FOOTPRINT

ISO
9001:2015

IATF
16949:2016

ISO
14001:2015

ISO
45001:2018

Corporate Office



PIX Transmissions Ltd.

B-1208, 12th Floor, One BKC,
Bandra-Kurla, Complex Bandra (East),
Mumbai - 400051
Maharashtra, India

☎ +91-(0)-22-61383000
✉ info@pixtrans.com
🌐 www.pixtrans.com

Registered Office



PIX Transmissions Ltd.

J-7, M.I.D.C. Hingna Road,
Nagpur - 440016
Maharashtra, India

☎ +91-(0)-7104 669 000
✉ info@pixtrans.com
🌐 www.pixtrans.com

Overseas Offices



PIX Germany GmbH

Karl-Schurz-Str. 35
33100 Paderborn, Germany

☎ +49 (0) 5251-2844 070
☎ +49 (0) 5251-2844 099
✉ info@pixgermany.com
🌐 www.pixgermany.de



PIX Transmissions (Europe) Ltd.

12, Sterling Complex, Farthing
Road, Ipswich, Suffolk IP1 5AP
United Kingdom

☎ +44 (0) 1473-743 511
☎ +44 (0) 1473-742 227
✉ info@pixtranseu.com
🌐 www.pixtranseu.com



PIX Middle East Trading LLC

Warehouse No-7 & 9, Near RAK BANK,
Industrial Area-2. P.O. Box 238085,
Near UAE Exchange,
Al Qusais Ind-2, Dubai, U.A.E.

☎ +971-4-2345 100
☎ +971-4-2345 101
✉ info@pixme.ae
🌐 www.pixme.ae



PIX Middle East Trading LLC

Souq Al Ghazal Building,
Near Bin Thani Plaza, Deira,
P.O. Box 238085, Dubai, UAE

☎ +971-438-52128
✉ info@pixme.ae
🌐 www.pixme.ae