


HAND SOCKETS



Super Grip Profile

Ultra Premium Finish

Knurled Band



CONFORMS TO CONFORMS TO

DIN 3120 ISO 3315

All GROZ sockets meet or exceed DIN 3120 Standard by 30%

CHROME
VANADIUM



HARDNESS

SUPER GRIP



**38-55
HRC**



Chrome Vanadium Construction

Cold forged from high quality chrome vanadium steel, precisely hardened for increased durability

Ultra Premium Finish*

High quality attractive ultra premium finish provides a scratch proof surface with enhanced protection against corrosion.

Super Grip Profile*

GROZ Sockets incorporate the super grip profile that features round points facilitating contact between socket wall & fastener wall, keeping pressure off the corners

This ensures:

1. Transmission of higher torque
2. Firm grip & enhanced engagement
3. Increased durability: Stress concentration in corners eliminated

Knurled Band*

Provides a non-slip grip even in slippery applications found usually in workshops

Marking & Branding

Branding & size stamped on each individual socket ensures quick and convenient identification

The range includes:


A. Hex Sockets with 6 Point Contact

Specially engineered to fit onto & securely grip fasteners. Prevents damage to fastener by gripping sides only & not the corners of the fasteners

B. Bi-Hex Sockets with 12 Point Contact


12 Point / Bi-Hex Sockets have more points of contact so there are more angles at which the socket will fit onto a fastener.

These are designed for use in professional automotive workshops, on agricultural / construction machinery & for several other industrial applications.



**SUPER
GRIP
PROFILE**

*only on 1/4", 3/8" & 1/2" sockets

1/4" DRIVE

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (MM)	L (MM)	D1 (MM)	D2 (MM)
---------	---------	-----------	--------	---------	---------

HEX SOCKETS


SKT/H/1-4/4/UG	40600	4	25	6.80	4
SKT/H/1-4/4.5/UG	40601	4.5	25	7.10	4.5
SKT/H/1-4/5/UG	40602	5	25	8.00	5
SKT/H/1-4/5.5/UG	40603	5.5	25	8.30	5.5
SKT/H/1-4/6/UG	40604	6	25	9.30	6
SKT/H/1-4/7/UG	40605	7	25	10.50	7
SKT/H/1-4/8/UG	40606	8	25	11.85	8
SKT/H/1-4/9/UG	40607	9	25	12.85	9
SKT/H/1-4/10/UG	40608	10	25	13.85	10
SKT/H/1-4/11/UG	40609	11	25	15.85	11
SKT/H/1-4/12/UG	40610	12	25	16.85	12
SKT/H/1-4/13/UG	40611	13	25	17.85	13
SKT/H/1-4/14/UG	40612	14	25	19.65	14

HEX SOCKETS - DEEP
NEW!


SKT/H/1-4/5D/UG	40620	5	50	8.0	11.9
SKT/H/1-4/6D/UG	40621	6	50	9.3	11.9
SKT/H/1-4/7D/UG	40622	7	50	10.5	11.9
SKT/H/1-4/8D/UG	40623	8	50	11.9	11.9
SKT/H/1-4/9D/UG	40624	9	50	13.2	13.2
SKT/H/1-4/10D/UG	40625	10	50	14.6	14.6
SKT/H/1-4/11D/UG	40626	11	50	15.9	15.9
SKT/H/1-4/12D/UG	40627	12	50	17	17
SKT/H/1-4/13D/UG	40628	13	50	18	18

POZI BIT SOCKETS


SKT/1-4/PZ1/UG	40679	PZ1	37	6.35	12
SKT/1-4/PZ2/UG	40680	PZ2	37	6.35	12
SKT/1-4/PZ3/UG	40681	PZ3	37	6.35	12

ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (MM)	L (MM)	D1 (MM)	D2 (MM)
---------	---------	-----------	--------	---------	---------

HEX BIT SOCKETS


SKT/1-4/H3/UG	40660	3	37	3	12
SKT/1-4/H4/UG	40661	4	37	4	12
SKT/1-4/H5/UG	40662	5	37	5	12
SKT/1-4/H6/UG	40663	6	37	6	12
SKT/1-4/H7/UG	40664	7	37	7	12
SKT/1-4/H8/UG	40665	8	37	8	12
SKT/1-4/H10/UG	40682	10	37	10	12

TORX BIT SOCKETS


SKT/1-4/T8/UG	40666	T8	37	2.25	12
SKT/1-4/T10/UG	40667	T10	37	2.70	12
SKT/1-4/T15/UG	40668	T15	37	3.25	12
SKT/1-4/T20/UG	40669	T20	37	3.80	12
SKT/1-4/T25/UG	40670	T25	37	4.40	12
SKT/1-4/T27/UG	40683	T27	37	5.0	12
SKT/1-4/T30/UG	40671	T30	37	5.50	12
SKT/1-4/T40/UG	40672	T40	37	6.60	12

SLOTTED BIT SOCKETS



SKT/1-4/S4/UG	40673	4	37	4	12
SKT/1-4/S5.5/UG	40674	5.5	37	5.5	12
SKT/1-4/S7/UG	40675	7	37	7	12

PHILIPS BIT SOCKETS


SKT/1-4/PH1/UG	40676	PH1	37	6.35	12
SKT/1-4/PH2/UG	40677	PH2	37	6.35	12
SKT/1-4/PH3/UG	40678	PH3	37	6.35	12



3/8" DRIVE



ORDERING INFORMATION


CAT NR.	ORD NR.	SIZE (MM)	L (MM)	D1 (MM)	D2 (MM)
---------	---------	-----------	--------	---------	---------

HEX SOCKETS



SKT/H/3-8/6/UG	40700	6	28	10.20	16.9
SKT/H/3-8/7/UG	40701	7	28	10.60	16.9
*SKT/H/3-8/8/UG	40702	8	28	11.80	16.9
SKT/H/3-8/9/UG	40703	9	28	13.20	16.9
*SKT/H/3-8/10/UG	40704	10	28	14.50	16.9
SKT/H/3-8/11/UG	40705	11	28	15.70	16.9
*SKT/H/3-8/12/UG	40706	12	28	16.90	16
*SKT/H/3-8/13/UG	40707	13	28	17.90	16.5
*SKT/H/3-8/14/UG	40708	14	28	19.70	17
SKT/H/3-8/15/UG	40709	15	28	20.90	18
SKT/H/3-8/16/UG	40710	16	30	21.90	19
*SKT/H/3-8/17/UG	40711	17	30	23.45	20
SKT/H/3-8/18/UG	40712	18	30	24.65	21
*SKT/H/3-8/19/UG	40713	19	30	25.85	23
SKT/H/3-8/20/UG	40714	20	32	27.15	24
SKT/H/3-8/21/UG	40715	21	32	27.85	25
SKT/H/3-8/22/UG	40716	22	32	29.65	26

* Best Seller



ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (MM)	L (MM)	D1 (MM)	D2 (MM)
---------	---------	-----------	--------	---------	---------

BI-HEX SOCKETS



SKT/BH/3-8/6/UG	40750	6	28	10.20	16.90
SKT/BH/3-8/7/UG	40751	7	28	10.60	16.90
*SKT/BH/3-8/8/UG	40752	8	28	11.80	16.90
SKT/BH/3-8/9/UG	40753	9	28	13.20	16.90
*SKT/BH/3-8/10/UG	40754	10	28	14.50	16.90
SKT/BH/3-8/11/UG	40755	11	28	15.70	16.90
*SKT/BH/3-8/12/UG	40756	12	28	16.90	16.00
*SKT/BH/3-8/13/UG	40757	13	28	17.90	16.50
*SKT/BH/3-8/14/UG	40758	14	28	19.70	17.00
SKT/BH/3-8/15/UG	40759	15	28	20.90	18.00
SKT/BH/3-8/16/UG	40760	16	30	21.90	19.00
*SKT/BH/3-8/17/UG	40761	17	30	23.45	20.00
SKT/BH/3-8/18/UG	40762	18	30	24.65	21.00
*SKT/BH/3-8/19/UG	40763	19	30	25.85	23.00
SKT/BH/3-8/20/UG	40764	20	32	27.15	24.00
SKT/BH/3-8/21/UG	40765	21	32	27.85	25.00
SKT/BH/3-8/22/UG	40766	22	32	29.65	26.00

* Best Seller

Hand Sockets (continued)

1/2" DRIVE



ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (MM)	L (MM)	D1 (MM)	D2 (MM)
HEX SOCKETS 					
*SKT/H/1-2/8/UG	40800	8	38	13.20	21.80
SKT/H/1-2/9/UG	40801	9	38	13.90	21.80
*SKT/H/1-2/10/UG	40802	10	38	15.00	21.80
SKT/H/1-2/11/UG	40803	11	38	16.30	21.80
*SKT/H/1-2/12/UG	40804	12	38	17.60	21.80
*SKT/H/1-2/13/UG	40805	13	38	18.80	21.80
*SKT/H/1-2/14/UG	40806	14	38	20.40	21.80
SKT/H/1-2/15/UG	40807	15	38	21.65	20.70
SKT/H/1-2/16/UG	40808	16	38	22.90	21.50
*SKT/H/1-2/17/UG	40809	17	38	23.90	22.00
SKT/H/1-2/18/UG	40810	18	38	25.45	23.00
*SKT/H/1-2/19/UG	40811	19	38	25.85	23.00
SKT/H/1-2/20/UG	40824	20	38	27.85	24.00
*SKT/H/1-2/21/UG	40812	21	38	27.85	25.00
SKT/H/1-2/22/UG	40813	22	40	29.85	26.00
SKT/H/1-2/23/UG	40814	23	40	31.65	27.00
*SKT/H/1-2/24/UG	40815	24	42	31.85	28.00
SKT/H/1-2/25/UG	40825	25	42	33.85	30.00
SKT/H/1-2/26/UG	40816	26	42	35.45	30.00
*SKT/H/1-2/27/UG	40817	27	43	35.85	30.00
SKT/H/1-2/28/UG	40818	28	43	37.85	32.00
SKT/H/1-2/29/UG	40819	29	43	37.85	32.00
*SKT/H/1-2/30/UG	40820	30	46	39.85	34.00
*SKT/H/1-2/32/UG	40821	32	46	41.85	36.00
SKT/H/1-2/33/UG	40822	33	46	43.85	38.00
SKT/H/1-2/36/UG	40823	36	46	47.85	38.00

* Best Seller




ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (MM)	L (MM)	D1 (MM)	D2 (MM)
BI-HEX SOCKETS 					
*SKT/BH/1-2/8/UG	40826	8	38	13.20	21.80
SKT/BH/1-2/9/UG	40827	9	38	14.30	21.80
*SKT/BH/1-2/10/UG	40828	10	38	15.20	21.80
SKT/BH/1-2/11/UG	40829	11	38	16.40	21.80
*SKT/BH/1-2/12/UG	40830	12	38	18.00	21.80
*SKT/BH/1-2/13/UG	40831	13	38	19.00	21.80
*SKT/BH/1-2/14/UG	40832	14	38	20.20	21.80
SKT/BH/1-2/15/UG	40833	15	38	21.00	21.80
SKT/BH/1-2/16/UG	40834	16	38	21.00	21.50
*SKT/BH/1-2/17/UG	40835	17	38	23.90	22.00
SKT/BH/1-2/18/UG	40836	18	38	25.45	23.00
*SKT/BH/1-2/19/UG	40837	19	38	25.85	23.00
SKT/BH/1-2/20/UG	40838	20	38	27.85	24.00
*SKT/BH/1-2/21/UG	40839	21	38	27.85	24.00
SKT/BH/1-2/22/UG	40840	22	38	29.85	26.00
SKT/BH/1-2/23/UG	40841	23	38	31.65	28.00
*SKT/BH/1-2/24/UG	40842	24	38	31.85	28.00
SKT/BH/1-2/25/UG	40843	25	40	33.85	30.00
SKT/BH/1-2/26/UG	40844	26	42	35.45	31.00
*SKT/BH/1-2/27/UG	40845	27	42	35.85	30.00
SKT/BH/1-2/28/UG	40846	28	43	37.85	33.00
SKT/BH/1-2/29/UG	40847	29	43	37.85	33.00
*SKT/BH/1-2/30/UG	40848	30	44	39.85	34.00
*SKT/BH/1-2/32/UG	40849	32	44	41.85	36.00
SKT/BH/1-2/33/UG	40882	33	46	43.85	38.00
SKT/BH/1-2/36/UG	40883	36	46	47.85	42.00

* Best Seller



1/2" DEEP DRIVE



ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (MM)	L (MM)	D1 (MM)	D2 (MM)
HEX SOCKETS 					
*SKT/H/1-2/10D/UG	40900	10	77	15	21.95
SKT/H/1-2/11D/UG	40901	11	77	16.30	21.95
*SKT/H/1-2/12D/UG	40902	12	77	17.60	21.95
*SKT/H/1-2/13D/UG	40903	13	77	18.80	21.95
*SKT/H/1-2/14D/UG	40904	14	77	20.40	21.95
SKT/H/1-2/15D/UG	40905	15	77	21.60	20.70
SKT/H/1-2/16D/UG	40906	16	77	22.85	21.50
*SKT/H/1-2/17D/UG	40907	17	77	23.85	22.00
SKT/H/1-2/18D/UG	40908	18	77	25.40	23.00
*SKT/H/1-2/19D/UG	40909	19	77	25.85	23.00
SKT/H/1-2/20D/UG	40922	20	77	27.85	24.00
SKT/H/1-2/21D/UG	40910	21	77	27.85	25.00
SKT/H/1-2/22D/UG	40911	22	77	29.85	26.00
SKT/H/1-2/23D/UG	40912	23	77	31.60	27.00
SKT/H/1-2/24D/UG	40913	24	77	31.85	28.00
SKT/H/1-2/26D/UG	40914	26	77	35.40	30.00
SKT/H/1-2/27D/UG	40915	27	77	35.85	30.00
SKT/H/1-2/28D/UG	40916	28	77	37.85	32.00
SKT/H/1-2/29D/UG	40917	29	77	37.85	32.00
SKT/H/1-2/30D/UG	40918	30	77	39.85	34.00
SKT/H/1-2/32D/UG	40919	32	77	41.85	36.00

* Best Seller




Professional Quality SOCKETS

Designed &
manufactured to the
highest standards
for use in industrial &
automotive workshops

Hand Sockets (continued)

3/4" DRIVE



ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE	L	D1	D2
		(MM)	(MM)	(MM)	(MM)


HEX SOCKETS

NEW!



SKT/H/3-4/22/MT	40455	22	50	33	36
SKT/H/3-4/24/MT	40457	24	50	35	36
*SKT/H/3-4/27/MT	40460	27	52	38	36
*SKT/H/3-4/30/MT	40463	30	54	42	38
*SKT/H/3-4/32/MT	40465	32	56	44	38
*SKT/H/3-4/36/MT	40469	36	58	50	42
SKT/H/3-4/38/MT	40470	38	62	52	45
SKT/H/3-4/41/MT	40472	41	64	56	45
SKT/H/3-4/46/MT	40475	46	68	62	48
SKT/H/3-4/50/MT	40477	50	72	68	48

* Best Seller



ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE	L	D1	D2
		(MM)	(MM)	(MM)	(MM)

BI-HEX SOCKETS

NEW!




SKT/BH/3-4/22/MT	40415	22	33	36	50
SKT/BH/3-4/24/MT	40417	24	35	36	50
*SKT/BH/3-4/27/MT	40420	27	38	36	52
*SKT/BH/3-4/30/MT	40423	30	42	38	54
*SKT/BH/3-4/32/MT	40425	32	44	38	56
*SKT/BH/3-4/36/MT	40429	36	50	42	58
SKT/BH/3-4/38/MT	40430	38	52	45	62
SKT/BH/3-4/41/MT	40432	41	56	45	64
SKT/BH/3-4/46/MT	40435	46	62	48	68
SKT/BH/3-4/50/MT	40437	50	68	48	72

* Best Seller





1" DRIVE



ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (MM)	L (MM)	D1 (MM)	D2 (MM)
---------	---------	-----------	--------	---------	---------


HEX SOCKETS

NEW!



*SKT/H/0-1/36/MT	40551	36	65	51	45
*SKT/H/0-1/41/MT	40553	41	70	57	45
*SKT/H/0-1/46/MT	40554	46	75	65	50
*SKT/H/0-1/50/MT	40555	50	75	70	55
*SKT/H/0-1/55/MT	40557	55	80	76	57
*SKT/H/0-1/60/MT	40559	60	84	82	57
*SKT/H/0-1/65/MT	40561	65	87	88	57
*SKT/H/0-1/70/MT	40563	70	93	94	68
*SKT/H/0-1/75/MT	40565	75	97	100	68
*SKT/H/0-1/80/MT	40567	80	103	105	68

* Best Seller



ORDERING INFORMATION

CAT NR.	ORD NR.	SIZE (MM)	L (MM)	D1 (MM)	D2 (MM)
---------	---------	-----------	--------	---------	---------

BI-HEX SOCKETS

NEW!



*SKT/BH/0-1/36/MT	40571	36	65	51	45
*SKT/BH/0-1/41/MT	40573	41	70	57	45
*SKT/BH/0-1/46/MT	40574	46	75	65	50
*SKT/BH/0-1/50/MT	40575	50	75	70	55
*SKT/BH/0-1/55/MT	40577	55	80	76	57
*SKT/BH/0-1/60/MT	40579	60	84	82	57
*SKT/BH/0-1/65/MT	40581	65	87	88	57
*SKT/BH/0-1/70/MT	40583	70	93	94	68
*SKT/BH/0-1/75/MT	40585	75	97	100	68
*SKT/BH/0-1/80/MT	40587	80	103	105	68

* Best Seller

Socket Merchandiser

Heavy duty steel construction in premium powder coated finish

CAT NR.	ORD NR.	CONTENTS
SKT/H/1-2/UG/ST50	40390	49 Hex Sockets of following sizes: 7 pcs: 10 mm 7 pcs: 13 mm 7 pcs: 17 mm 6 pcs: 19 mm 5 pcs: 22 mm 5 pcs: 24 mm 4 pcs: 27 mm 4 pcs: 30 mm 4 pcs: 32 mm

*Can be offered with Bi-Hex Sockets also

1/2" DRIVE

